Omega Pacific 2019 WORKBOOK



CLIMBING



PROFESSIONAL



PROMOTIONAL

Omega Pacific

17 New Products, 159 Price Reductions... Omega Pacific for 2019!

Founded in 1982, Omega Pacific, proudly manufactures the finest quality Climbing, Professional & Tactical Gear right here in the U.S.A. Based in Spokane County, Washington State. We've been building carabiners and other technical hardware for over thirty years. Our committed team has developed some of the most significant advances in carabiner technology— particularly our break through, ISO Cold-Forging process.

Omega Pacific offers a broad line of leading edge CLIMBING products for recreational climbers.

Our PROFESSIONAL GRADE line of Rescue & Industrial Gear includes both steel & aluminum carabiners for Firefighters, law enforcement, military & safety niches. Quality is part of the culture at Omega Pacific. Our factory is ISO 9001:2015 certified and our goods offer third-party certifications from CE, NFPA, CSA & ANSI. Each and every one of our carabiners is proof-loaded to half its rated strength prior to leaving our factory. All a part of our commitment to produce the highest quality product. Thanks for your continued support.

TABLE OF CONTENTS- click on the page links below

CLIMBING

Climbing Protection..... 3
Link Cams 4
Wedgies 5-8
Wedgies Set & Solution Nut Tool 8
Screw-Link, Figure 8 & SBGII..... 9
Rappel Ring & Revo Compact Pulley 10
Tephra Trapwire Carabiners..... 11
Tephra Pitch & Vulcan Carabiners ... 12
Lava Carabiners 13
Gym Pro & Classic Carabiners..... 16
Classic Carabiners 17-18
Classic & D Straightgates..... 19
D Straightgate Carabiners..... 20
Five-O Carabiners..... 21-22
Jake Carabiners..... 23
Jake & D Screw-Loks..... 24
D Screw-Loks..... 25
Lite D Straightgates & Screw-Loks .. 26
Lite D Screw-Loks & Ovals 27
Oval Straightgates 28
Oval Screw-Loks..... 29
Quickdraws..... 30-34
Dyneema Dogbone & Sling 35
Mountain Ice Axes 36
Wall Hammer & Pulleys 37

PROFESSIONAL

Revo Pro Pulleys..... 38
Tephra Trapwire & Captive Eyes..... 39
G-First Screw-Lok Carabiners..... 40
G-First 2 Stage Quik-Loks..... 41
G-First 2 Stage Captive Eyes..... 42
G-First 3 Stage 43
G-First 3 Stage Captive Eyes..... 44
Jake Hybrid Carabiners..... 45
NFPA Screw Lok D 46
Aluminum Modified D- 1/2"..... 47-48
Steel Modified D-1/2" Screw-Lok 49
Steel Large D Carabiners- 1/2"..... 50-51
Steel XLG D Screw-Loks- 1/2"..... 52
Steel Modified D- 7/16"..... 53-57
Steel Ladderhooks- 9/16"..... 58
Tactical Carabiners & Figure 8 59

TACTICAL

Tactical Carabiners..... 60-61
Quad Release System 62

PROMOTIONAL

Accessory Carabiners 63-69

HOW TO NAVIGATE—

Thanks for downloading our PDF Interactive Catalog. With Adobe Acrobat you'll be able to search this publication using several methods-

1. Open your BOOKMARKS in the upper left corner of this window to scroll down & search by Category.
2. Use the MAGNIFY GLASS to SEARCH for item numbers, kN ratings or text.
3. Click the BUTTONS across the top of the page to go to the SECTION for Climbing, Professional, Tactical & Promotional.
4. The BUTTONS in the upper right corner go to the next or previous page & back to the Table of Contents.
5. You can CLICK on any title in this Table of Contents to go directly to a PRODUCT PAGE.

©2018 Omega Pacific Inc.



Link Cam Set- # .5- #2

Building on a revolutionary concept from legendary gear designer, Greg Lowe, Link Cams operate on a simple concept of tri-secting a cam lobe so that, as the device is retracted, the cam unfolds and permits an amazing range for a unit of its size.

Utilizing a reliable, single-axle design and with a camming ratio of over 2.5:1, Link Cams provide more range per size than any other spring-loaded camming device avail-able!

Extended range means you can leave the ground with fewer pieces on your rack; no more doubling up on pieces you think you "might" need if you're unsure where, exactly, you'll need doubles of one particular piece. Likewise, for backcountry climbers, it means packing in less gear. And as a "crux piece" you need right now, Link Cam's large range increases your odds of picking the right size the first time you go to your rack.

Mechanically-speaking, Link Cams are as in-novative as the concept behind their design. Built with a hybrid blend of materials and advanced MIM process, Link Cams are the most sophisticated and modern camming devices in the world. The two, inner links on each lobe unit are built by a modern process known as Metal-Injection-Molding which permits us to create detailed, preci-sion pieces with increased strength and are made from 17-4 aircraft stainless steel. The outer link is machined from 7000-series aluminum alloy

Although Link Cams aren't necessarily more difficult to place than other cams, they do require careful consideration to avoid damaging them or compromising the place-ment. Link Cams should be placed carefully and deliberately, with a critical eye and the ability to assess a proper, solid placement. If climbers aren't experienced at assessing nuances of placements, instruction should be sought before using Link Cams.

Specifications:

Item Number— OPLCMDSET

Certified to— CE

UPC— 821273579181

Retail— $462.95

Link Cam Pointers:

Assess the overall placement for quality of the rock. Dense, solid stone makes for better placements, generally. Flaky, loose rock or expanding flakes should be avoided, whenever possible.

Attempt to place cams with maximum contact between the lobes and the feature, ensuring that the load is as equally distrib-uted as possible between all four lobe sets. Place cams so that they are neither "tipped out" nor "overcammed" as either instance can make the placement less stable or dif-ficult to remove. As a general rule, deploy Link Cams so they are within 75% of their maximum range and 25% of their mini-mum, fully-retracted position.

Clip a carabiner and a longer sling to the sewn sling on wandering routes or under roofs to prevent the cams from "walking." Be sure to anticipate direction of load, should you fall or weight the cam. This is particularly important with Link Cams, due to their unique construction. Since they are built using trisected cam lobes, Link Cams can become damaged and the placement may fail when a load is placed that makes the cam "shift" when a climber falls onto it. We are constantly researching ways to improve the strength and durability of Link Cams, but it is critical that Link Cams be placed with direction of load in mind. You should always place any removable protec-tion with this principle in mind, of course, but Link Cams in particular should be placed so that the stem is aimed directly toward the ground and, when loaded, the position of the axle does not rotate during a fall or when bounce-testing. Although Link Cams' flexible stems can help "correct" a less-than-ideal placement, it is still important that the initial placement be made in proper alignment with anticipated load.

Visually inspect every placement before relying on it! This is an excellent discipline regardless of which piece of gear you use, but with Link Cams, proper placement is crucial to maximizing safety and effective-ness. Placing a piece "blind" can often lead to an improperly-placed cam and may not be reliable. If a Link Cam is not able to be placed properly, in direction of anticipated load, select another piece.

CE certified and made in the USA

Link Cams are built in our modern, ISO 9001 Certified facility in Washington State and are certified to CE standards and speci-fications.



Link Cam #0.50

Specifications:
Item Number— OPLC050
Strength— 8kN (1,798 lbf)
Weight oz— 3.35 oz
Weight gm— 95 gm
Range in— .53-1.38 in
Range mm— 13.5-35 mm
Length in— 6.5 in
Length mm— 165mm
Width in— 1.8 in
Width mm— 45.7mm
Certified to— CE
UPC— 821273579020
Color— Purple
Retail— $105.95



Link Cam #0.75

Specifications:
Item Number— OPLC075
Strength— 10kN (2,248 lbf)
Weight oz— 4 oz
Weight gm— 113 gm
Range in— .7-1.75 in
Range mm— 17.8-44.5 mm
Length in— 6.7 in
Length mm— 170mm
Width in— 1.9 in
Width mm— 48.2mm
Certified to— CE
UPC— 821273579037
Color— Green
Retail— $110.95



Link Cam #1

Specifications:
Item Number— OPLC1
Strength— 14kN (3,147 lbf)
Weight oz— 6.2 oz
Weight gm— 176 gm
Range in— .83-2.10 in
Range mm— 21.1-53.3 mm
Length in— 6.75 in
Length mm— 171mm
Width in— 2.48 in
Width mm— 63mm
Certified to— CE
UPC— 821273579006
Color— Red
Retail— $112.95



Link Cam #2

Specifications:
Item Number— OPLC2
Strength— 14kN (3,147 lbf)
Weight oz— 7.3 oz
Weight gm— 207 gm
Range in— .96-2.51 in
Range mm— 25.4-64mm
Length in— 7.51 in
Length mm— 191mm
Width in— 2.48 in
Width mm— 63mm
Certified to— CE
UPC— 821273579013
Color— Gold
Retail— $117.95



Wedgie #1

Wedgies are built with a double-taper to fit slight flares and more typical cracks alike. Available individually or in sets, each is extruded and machined from 6000-series, aircraft-quality aluminum alloy and anodized for instant identification on your rack. Slung with strong, braided steel cable, they're built for years of use.

Specifications:
Item Number— OPWDG1
Weight oz— .25 oz
Weight gm— 7 gm
Length in— 7.625 in
Length mm— 194 mm
Head Dimension mm— 3.56-9.91mm
Head Material— 6000 series aluminum
Cable Size— 1/16" dual
Strength kN— 2kN (450 lbf)
Certified to— CE
UPC— 821273508013
Retail— $9.25



Wedgie #2

Specifications:
Item Number— OPWDG2
Weight oz— .28 oz
Weight gm— 8 gm
Length in— 7.625 in
Length mm— 194 mm
Head Dimension mm— 4.06-9.91mm
Head Material— 6000 series aluminum
Cable Size— 1/16" dual
Strength kN— 2kN (450 lbf)
Certified to— CE
UPC— 821273508020
Retail— $9.25



Wedgie #3

Specifications:
Item Number— OPWDG3
Weight oz— .53 oz
Weight gm— 15 gm
Length in— 7.625 in
Length mm— 194 mm
Head Dimension mm— 5.84-10.92mm
Head Material— 6000 series aluminum
Cable Size— 1/16" dual
Strength kN— 5kN (1,124 lbf)
Certified to— CE
UPC— 821273508037
Retail— $9.25



Wedgie #4

Specifications:
Item Number— OPWDG4
Weight oz— .56 oz
Weight gm— 16 gm
Length in— 7.625 in
Length mm— 194 mm
Head Dimension mm— 6.86-11.18mm
Head Material— 6000 series aluminum
Cable Size— 3/32" dual
Strength kN— 6kN (1,349 lbf)
Certified to— CE
UPC— 821273508044
Retail— $9.25

Wedgies



Wedgie #5

Wedgies are built with a double-taper to fit slight flares and more typical cracks alike. Available individually or in sets, each is extruded and machined from 6000-series, aircraft-quality aluminum alloy and anodized for instant identification on your rack. Slung with strong, braided steel cable, they're built for years of use.

Specifications:
Item Number— OPWDG5
Weight oz— .64 oz
Weight gm— 18 gm
Length in— 7.625 in
Length mm— 194 mm
Head Dimension mm— 8.38-13.51mm
Head Material— 6000 series aluminum
Cable Size— 3/32" dual
Strength kN— 6kN (1,349 lbf)
Certified to— CE
UPC— 821273508051
Retail— $9.75



Wedgie #6

Specifications:
Item Number— OPWDG6
Weight oz— 1.13 oz
Weight gm— 32 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 9.65-14.48mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508066
Retail— $9.75



Wedgie #7

Specifications:
Item Number— OPWDG7
Weight oz— 1.2 oz
Weight gm— 34 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 11.18-15.49mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508075
Retail— $9.75



Wedgie #8

Specifications:
Item Number— OPWDG8
Weight oz— 1.31 oz
Weight gm— 37 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 13.21-17.27mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508082
Retail— $9.75

Wedgies



Wedgie #9

Wedgies are built with a double-taper to fit slight flares and more typical cracks alike. Available individually or in sets, each is extruded and machined from 6000-series, aircraft-quality aluminum alloy and anodized for instant identification on your rack. Slung with strong, braided steel cable, they're built for years of use.

Specifications:
Item Number— OPWDG9
Weight oz— 1.37 oz
Weight gm— 39 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 15.24-20.32mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508099
Retail— $10.75



Wedgie #10

Specifications:
Item Number— OPWDG10
Weight oz— 1.52 oz
Weight gm— 43 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 17.27-22.35mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508105
Retail— $10.75



Wedgie #11

Specifications:
Item Number— OPWDG11
Weight oz— 1.8 oz
Weight gm— 51 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 19.81-25.65mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508112
Retail— $10.75



Wedgie #12

Specifications:
Item Number— OPWDG12
Weight oz— 2.05 oz
Weight gm— 58 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 22.86-29.72mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508129
Retail— $10.75

Wedgies & Solution Nut Tool



Wedgie #13

Wedgies are built with a double-taper to fit slight flares and more typical cracks alike. Available individually or in sets, each is extruded and machined from 6000-series, aircraft-quality aluminum alloy and anodized for instant identification on your rack. Slung with strong, braided steel cable, they're built for years of use.

Specifications:
Item Number— OPWDG13
Weight oz— 2.5 oz
Weight gm— 71 gm
Length in— 9.75 in
Length mm— 248 mm
Head Dimension mm— 26.42-33.76mm
Head Material— 6000 series aluminum
Cable Size— 1/8" dual
Strength kN— 10kN (2,248 lbf)
Certified to— CE
UPC— 821273508136
Retail— $10.75



Wedgie Set #1-13

Price reduced for 2019

Wedgies are built with a double-taper to fit slight flares and more typical cracks alike. Available individually or in sets, each is extruded and machined from 6000-series, aircraft-quality aluminum alloy and anodized for instant identification on your rack. Slung with strong, braided steel cable, they're built for years of use.

Specifications:
Item Number— WDGSET
Weight oz— 15.36 oz
Weight gm— 435 gm
Head Material— 6000 series aluminum
Certified to— CE
UPC— 821273508143
Retail— $119.95



Solution Nut Tool

The Solution brings together every vital ingredient a nut tool must have. It's thin enough to retrieve impossible gear. The working end features a dimple to rest against stubborn Wedgies to pop them loose. There's also a hook for pulling on un-reachable trigger bars. There's even a little nub that's perfect for pulling on the cavity of cam's lobe. The opposite end is flat, instead of rounded, so you can strike it to free a frustrating nut or stopper. The Solution also features a 1/2" wrench for loose bolts. Best of all, the Solution can open up a celebratory post-climb beverage!

Specifications:
Item Number— SLTL
Weight oz— 1.56 oz
Weight gm— 44 gm
Length in— 8.27 in
Length mm— 210 mm
Material— 4130 CrMo
UPC— 821273508167
Retail— $ 15.95

Screw-Link, Figure 8 & SBGII



Screw-Link

Price reduced for 2019

Superior strength over other steel screw links yet the same compact size, the OP Screw-Link is ideal for fixed draws on outdoor project routes or at rappel/belay stations. Perfect for gyms as well, this hardened steel an anchor attachment was conceived after seeing too many severely-worn aluminum carabiners hanging in gyms all over the country, you can fall with confidence on this plated, steel beauty.


Specifications:
Item Number— OPSCL6
Weight oz— 2.7 oz
Weight gm— 77 gm
Length in— 2.92 in
Length mm—74 mm
Width in— 1.49 in
Width mm— 38 mm
Gate Opening in— .43 in
Gate Opening mm— 11 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
UPC— 821273408528
Retail— $5.25



Figure 8 Rappel Device - Blue

Figure 8 devices remain a popular device for their simplicity, durability and dependability. Forged from aircraft-quality anodized aluminum, this unit provides years of hard use. Can be used with double, half or single rope systems for rappeling or belaying.

Specifications:
Item Number— OPFIG8-1
Weight oz— 3.82 oz
Weight gm— 108.5 gm
Strength kN— 25 kN (5,620 lbf)
Length 5.17 in (131.3 mm)
Width 2.93 in (74.4 mm)
UPC— 821273703012
Retail— $14.50



SBGII Belay/Rappel Device

By incorporating a rigid stem on this device, climbers go from full lock-off to whipping out rope in a single, smooth action—no more binding up as the device tries to free itself. The amount of friction can be completely adjusted to suit your particular need. Does your climber outweigh you? Are you using skinny ropes? Then set up the brake line through the V-Slots! Clipping in short (into the oblong hole in the center of the stem) adds even more braking power.

Climbing with fat ropes, a skinny partner or on low-angle slabs? Then belay off the U-Grooves and clip into the bottom hole of the SBGII for less friction. If you've ever rapped on a single 8mm or 9mm rope with other belay devices, you know what a fast and loose ride that can be! With the SBGII, wrap that skinny cord around the rigid stem and rappel, figure-8 style, for the ultimate in control and safety.

Specifications:
Item Number— SBGII
Weight oz— 2.72 oz
Weight gm— 77 gm
Length in— 3.27 in
Length mm— 83 mm
Width in— 2.0 in
Width mm— 51 mm
UPC— 821273505012
Retail— $22.95

Rappel Ring & Revo Compact Pulley



Aluminum Rappel Ring

Forged aluminum rap ring for bailouts and rap stations. Anodized gray for minimal visual impact. Solid construction (not hollow) for 20kN minimum breaking strength (over 4400lbf)! Not intended for repeated lowering.

This is much cheaper than leaving behind a carabiner, and more practical since the Rap Ring can be used again, whereas carabiners are often taken from rappel stations. It's also much safer than just rappelling via the sling or webbing, since the Rap Ring eliminates possible damage to the rope sheath or the anchor when you pull the rope down, plus the ring ensures your rope is less likely to get caught.

This device is NOT designed to be used as a rappel or belay device. It is intended solely as a hardware alternative to bail-out slings, webbing and cord.

Specifications:
Item Number— RAPRNG
Weight oz— 1.2 oz
Weight gm— 34 gm
Outside Diameter— 2.04 in
Outside Diameter— 52 mm
Inside Diameter— 1.18 in
Inside Diameter— 30mm
Thick— .433 in
Thick— 11 mm
Strength kN— 20kN (4,496 lbf)
UPC— 821273408504
Retail— $4.95



Revo Compact Pulley- Blue

Price reduced for 2019

Built with aircraft aluminum and stainless steel, REVO Pulleys are available in Rescue or Compact versions for hauling, lowering, raising and rescue purposes.
Each REVO pulley is prusik-minding with a stainless steel wheel that rides on a self-lubricating bushing that needs no maintenance. The REVO Compact is CE Certified and weighs only 78g, making it a perfect component to a glacier rescue kit or for hauling up the pig on big routes. Both are assembled using low-profile, Deep Press Riveting to eliminate interference from surfaces and other gear. Use with 10mm and smaller ropes.

Specifications:
Item Number— OPPL31
Weight gm— 78 gm
Length— 76 mm
Width— 58 mm
Depth— 23 mm
Wheel Diameter— 31 mm
Certified to— CE
UPC— 821273410767
Retail— $33.80

Omega Pacific

Tephra Trapwire Carabiners

The innovative Tephra Trapwire

By combining innovation and functionality into our exclusive Trapwire technology, the Tephra carabiner is safer, stronger, and noticeably lighter than other belay carabiners. The Trapwire "keeper" at the bottom of the carabiner helps maintain proper orientation while belaying and it serves as the main spring of the carabiner. We eliminated the traditional lever/pusher and internal spring inside the gate which translates into a lighter product with fewer parts, improved reliability, and a stronger hinge.

Tephra is the Greek word for erupted elements from a volcano, and thanks to the unique hot-forged frame, the Tephra Trapwire is one of the strongest belay carabiners: 27kN rated strength (major axis) and a burly 10kN open-gate strength. The narrow, low-profile nose and Keylock design make smooth, snag-free connections to belay loops, rappel devices, webbing and gear loops. Unlike most belay 'biners with an orientation-assist bar across the frame, the Tephra Trapwire permits clean and simple racking of a belay device while not in use.



Tephra Trapwire Quik-Lok

Price reduced for 2019

Advanced design segregates & traps your harness belay loop to discourage cross loading. Secure Quik-Lok closure ensures your safely locked while belaying.

Specifications:
Item Number— OPTPQL
Weight oz— 2.15 oz
Weight gm— 61 gm
Gate Opening in— 0.9 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 27 kN (6,069 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Certified to— CE
Locking— 2-stage Quik-Lok
UPC— 821273410781
Retail— $17.10



Tephra Trapwire Screw-Lok

Price reduced for 2019

Our best lightweight Belay Carabiner combined with the familiar functionality of a solid screwgate. Climbing tradition meets today's Trapwire Technology.

Specifications:
Item Number— OPTPL
Weight oz— 2.15 oz
Weight gm— 61 gm
Gate Opening in— 0.9 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 27 kN (6,069 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Certified to— CE
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Locking— Screw-Lok
UPC— 821273410798
Retail— $16.05

Tephra Pitch & Vulcan Carabiners



Tephra Pitch Quik-Lok

Price reduced for 2019

Folks love how the Tephra Trapwire feels in the hand and they dig how well it works for belaying and rappelling, but right away, we started getting requests for a general-use, multi-purpose version.
The Pitch removes the Trapwire so the Tephra frame can more easily be incorporated in top rope anchors, multi-pitch belays and more.
Thanks to the unique hot-forged frame, the Tephra Trapwire is one of the strongest belay carabiners: 27kN rated strength (major axis) and a burly 10kN open-gate strength. The narrow, low-profile nose and Keylock design make smooth, snag-free connections to belay loops, rappel devices, webbing and gear loops.

Specifications:
Item Number— OPTPP8QL
Weight oz— 2.20 oz
Weight gm— 62 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 27 kN (6,069 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Certified to— CE
Locking— 2-stage Quik-Lok
UPC— 821273410897
Retail— $15.75



Tephra Pitch Screw-Lok

Price reduced for 2019

Our best lightweight Locking Carabiner combined with the familiar functionality of a solid screwgate. Climbing tradition meets innovative design.

Specifications:
Item Number— OPTPP8L
Weight oz— 2.2 oz
Weight gm— 62 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 27 kN (6,069 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273410880
Retail— $13.85



Vulcan Infinity Wiregate

Price reduced for 2019

The hot-forged Vulcan features a full-sized rope-bearing surface which means your rope doesn't take such a beating after repeated falls compared to other lightweight biners. The Vulcan namesake is the Roman god of fire, commonly depicted with a forge and a blacksmith hammer. The light carabiner frame is paired with the revolutionary Infinity gate. The Infinity is pinched in the middle to create an infinity symbol - making it easier to handle whenever clipping or while wearing gloves, and it reduces the snags of other gear on your climbing rack. The reduced gate profile also means the wiregate is thinner than the frame, so there's less opportunity for accidental open-gate situations should the carabiner happen to be dragged along the rock wall.

Specifications:
Item Number— OPVNW
Weight oz—1.20
Weight gm— 33 gm
Gate Opening in— .81 in
Gate Opening mm— 20.5 mm
Major Axis Strength kN— 26 kN (5,845 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.66 in
Length mm— 93 mm
Width in— 2.07 in
Width mm— 52.5 mm
Certified to— CE
UPC— 821273410804
Retail— $6.95

Lava Carabiners



Lava Infinity Wiregate Green

Omega's all-purpose, ovalized D-Shape frame with a wiregate.
Our design team is proud of the innovative hot-forged Lava! Built for multi-purpose use as a daily workhorse, the Lava boasts reduced mass and improved handling; it's easier to tell top from bottom, and the 34gm weight means you can use it for 'draws, slings, cams and anchors without a weight penalty.
The Lava also features the Infinity Wiregate. We "pinch" it in the middle so that it's less likely to get hung up in other biners or open accidentally when it's dragged across a rock face. Easy to clip and improved ergonomics make it a real bonus over conventional wiregate 'biners.

Specifications:
Item Number— OPLVW2
Weight oz— 1.16 oz
Weight gm— 34 gm
Gate Opening in— .71 in
Gate Opening mm— 18 mm
Major Axis Strength kN— 23 kN (5,171 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 3.54 in
Length mm— 89.82 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404223
Retail— $6.95



Lava Infinity Wiregate Purple

Specifications:
Item Number— OPLVW4
Weight oz— 1.16 oz
Weight gm— 34 gm
Gate Opening in— .71 in
Gate Opening mm— 18 mm
Major Axis Strength kN— 23 kN (5,171 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 3.54 in
Length mm— 89.82 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404230
Retail— $6.95

Dash Carabiners



Dash Infinity Wiregate Four-Color Cam Pack

Price reduced for 2019

A lightweight, full-strength wiregate that's burly enough to withstand years of serious use, yet light enough to never hold you back. With nearly a full inch of gate clearance, clipping is a snap and, at 37gm, the Dash is lean. We build it from full-sized, high-strength 3/8" aircraft-grade aluminum, so it's built to take the punishment that might cripple other anorexic 'biners. Whether it's the unpredictable alpine routes in the world's remotest places or a roadside crag close to home, the Dash is the right carabiner for the job!

Specifications:

Item Number— OPMDW-4
Certified to— CE
UPC— 821273404339
Retail— $26.95



Dash Infinity Wiregate Green

Price reduced for 2019

A lightweight, full strength wiregate that's burly enough to withstand years of serious use, yet light enough to never hold you back. With nearly a full inch of gate clearance, clipping is a snap and, at 37gm, the Dash is lean. We build it from full-sized, high-strength 3/8" aircraft-grade aluminum, so it's built to take the punishment that might cripple other anorexic 'biners. Whether a roadside crag close to home, or a remote alpine route, the Dash is the right carabiner for the job!

Specifications:

Item Number— OPMD2W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.20 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404278
Retail— $7.30



Dash Infinity Wiregate Red

Price reduced for 2019

Specifications:

Item Number— OPMD3W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.20 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404285
Retail— $7.30



Dash Infinity Wiregate Purple

Price reduced for 2019

Specifications:

Item Number— OPMD4W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.20 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404292
Retail— $7.30

Dash Carabiners



Dash Infinity Wiregate Gold

Price reduced for 2019

A lightweight, full strength wiregate that's burly enough to withstand years of serious use, yet light enough to never hold you back. With nearly a full inch of gate clearance, clipping is a snap and, at 37gm, the Dash is lean. We build it from full-sized, high-strength 3/8" aircraft-grade aluminum, so it's built to take the punishment that might cripple other anorexic 'biners. Whether a roadside crag close to home, or a remote alpine route, the Dash is the right carabiner for the job!

Specifications:
Item Number— OPMD8W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.20 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404315
Retail— $7.30



Dash Infinity Wiregate Bright

Price reduced for 2019

Specifications:
Item Number— OPMD6W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.20 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404124
Retail— $6.15



Dash Infinity Wiregate Cinder

Price reduced for 2019

Specifications:
Item Number— OPMDW
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.20 mm
Width in— 2.04 in
Width mm— 51.80 mm
Certified to— CE
UPC— 821273404261
Retail— $7.30



Dash Infinity Wiregate Black

Price reduced for 2019

Specifications:
Item Number— OPMD5W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .93 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.2 mm
Width in— 2.04 in
Width mm— 51.7 mm
Certified to— CE
UPC— 821273404360
Retail— $7.30

Gym Pro & Classic Carabiners



GymPro Wiregate Steel Bentgate

Price reduced for 2019

Built for gyms, this hardened steel carabiner is easy to clip. Conceived after seeing too many severely-worn aluminum carabiners hanging in gyms all over the country, you can fall with confidence on this plated, steel beauty. Great for fixed draws on outdoor projects, too!

Specifications:

Item Number— OPGP6BW
Weight oz— 4.4 oz
Weight gm— 125 gm
Gate Opening in— 1.18 in
Gate Opening mm— 30 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 12 kN (2,698 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.06 in
Length mm— 103 mm
Width in— 2.25 in
Width mm— 57 mm
UPC— 821273401734
Retail— $9.75



Classic Bentgate Bright

The Classic is - well, a classic. A perfect and simple shape designed for maximum strength, ease of use and extreme affordability. The asymmetrical D series is available in straight, bent and locking gate versions. For setting anchors and top-ropes, the Classic is the most useful and best carabiner there is.

Specifications:

Item Number— OPCL6B
Weight oz— 1.9 oz
Weight gm— 53.98 gm
Gate Opening in— .82 in
Gate Opening mm— 21 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.10 in
Length mm— 104.14 mm
Width in— 2.30 in
Width mm— 58.42 mm
Certified to— CE
UPC— 821273400010
Retail— $6.95



Classic Screw-Lok Bright

Price reduced for 2019

Specifications:

Item Number— OPCL6L
Weight oz— 2.11 oz
Weight gm— 59.78 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.10 in
Length mm— 104.14 mm
Width in— 2.30 in
Width mm— 58.42 mm
Locking— Screw-Lok
Certified to— CE
UPC— 821273400027
Retail— $7.80



Classic Straightgate Bright

Specifications:

Item Number— OPCL6S
Weight oz— 1.89 oz
Weight gm— 53.61 gm
Gate Opening in— .70 in
Gate Opening mm— 18 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.10 in
Length mm— 104.14 mm
Width in— 2.30 in
Width mm— 58.42 mm
Certified to— CE
UPC— 821273400034
Retail— $6.95

Classic Carabiners



Classic Bentgate Bright/Red

The Classic is - well, a classic. A simple and perfect shape designed for maximum strength, ease of use and extreme affordability. The asymmetrical D series is available in straight, bent and locking gate versions. Setting anchors and top-ropes, the Classic is the most useful and best carabiner there is.

Specifications:

Item Number— OPCLB
Weight oz— 1.90 oz
Weight gm— 53.98 gm
Gate Opening in— .82 in
Gate Opening mm— 21 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.10 in
Length mm— 104.14 mm
Width in— 2.30 in
Width mm— 58.42 mm
Certified to— CE
UPC— 821273400041
Retail— $7.25



Classic Screw-Lok Bright/Purple

Price reduced for 2019

The Classic is - well, a classic. A perfect and simple shape designed for maximum strength, ease of use and extreme affordability. The asymmetrical D series is available in straight, bent and locking gate versions. Setting anchors and top-ropes, the locking Classic is the most useful and best carabiner there is.

Specifications:

Item Number— OPCLL
Weight oz— 2.11 oz
Weight gm— 59.78 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 104.10 mm
Width in— 2.30 in
Width mm— 58.42 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273400065
Retail— $8.75



Classic Straightgate Bright/Blue

The Classic is - well, a classic. A simple and perfect shape designed for maximum strength, ease of use and extreme affordability. The asymmetrical D series is available in straight, bent and locking gate versions. Setting anchors and top-ropes, the Classic is the most useful and best carabiner there is.

Specifications:

Item Number— OPCLS
Weight oz— 1.89 oz
Weight gm— 53.61 gm
Gate Opening in— .70 in
Gate Opening mm— 18 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 104.10 mm
Width in— 2.30 in
Width mm— 58.42 mm
Certified to— CE
UPC— 821273400089
Retail— $7.25



Classic Keylock Bentgate

Price reduced for 2019

Omega Keylocks- the pin is removed from the gate to provide easier handling and greater safety. Wired nuts and slings won't get hung up on the carabiners and clipping bolts with Keylocks means hangers can't hook the nose, preventing dangerous cross-loading.
The same great features found on standard Classics are still present: ISO Cold Forging, tapered noses, true rope-bearing radii, flat spin-rivets, individual proof-load testing are all there to make these the best carabiners on your rack. Available in Straightgate, Bentgate, and Screw-Lok.

Specifications:

Item Number— OPCLKLB
Weight oz— 1.90 oz
Weight gm— 54 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 23 kN (5,171 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 104.1 mm
Width in— 2.3 in
Width mm— 58.4 mm
Certified to— CE
UPC— 821273400119
Retail— $8.25

Classic Carabiners



Classic Keylock Screw-Lok

Price reduced for 2019

Omega Keylocks- the pin is removed from the gate to provide easier handling and greater safety. Wired nuts and slings won't get hung up on the 'biners and clipping bolts with Keylocks means hangers can't hook the nose, preventing dangerous cross loading. The same great features found on standard Classics are still present: ISO Cold Forging, tapered noses, true rope-bearing radii, flat spin rivets, individual proof load testing are all there to make these the best carabiners on your rack. Available in Straightgate, Bentgate, and screw-lok.

Specifications:
Item Number— OPCLKLL
Weight oz— 2.1 oz
Weight gm— 60 gm
Gate Opening in— .55 in
Gate Opening mm— 13.97 mm
Major Axis Strength kN— 23 kN (5,171 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 401.10 mm
Width in— 2.30 in
Width mm— 58.40 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273400126
Retail— $9.25



Classic Keylock Straightgate

Price reduced for 2019

Specifications:
Item Number— OPCLKLS
Weight oz— 1.90 oz
Weight gm— 54 gm
Gate Opening in— .67 in
Gate Opening mm— 17 mm
Major Axis Strength kN— 23 kN (5,171 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 104.10 mm
Width in— 2.30 in
Width mm— 58.40 mm
Certified to— CE
UPC— 821273400133
Retail— $8.25



Classic Keylock Bentgate Black

New for 2019!

Specifications:
Item Number— OPCLKL5B
Weight oz— 1.90 oz
Weight gm— 54 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 104.1 mm
Width in— 2.3 in
Width mm— 58.4 mm
Certified to— CE
UPC— 821273400263
Retail— $8.25



Classic Keylock Screw-Lok Black

New for 2019!

Specifications:
Item Number— OPCLKL5L
Weight oz— 2.1 oz
Weight gm— 60 gm
Gate Opening in— .55 in
Gate Opening mm— 13.97 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 401.10 mm
Width in— 2.30 in
Width mm— 58.40 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273400232
Retail— $9.25

Classic & D Straightgates



Classic Keylock Straightgate Black

New for 2019!

Omega Keylocks- the pin is removed from the gate to provide easier handling and greater safety. Wired nuts and slings won't get hung up on the carabiners and clipping bolts with Keylocks means hangers can't hook the nose, preventing dangerous cross-loading.
The same great features found on standard Classics are still present: ISO Cold Forging, tapered noses, true rope-bearing radii, flat spin-rivets, individual proof-load testing are all there to make these the best carabiners on your rack.

Specifications:
Item Number— OPCLKL5S
Weight oz— 1.90 oz
Weight gm— 54 gm
Gate Opening in— .67 in
Gate Opening mm— 17 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.1 in
Length mm— 104.10 mm
Width in— 2.30 in
Width mm— 58.40 mm
Certified to— CE
UPC— 821273400256
Retail— $8.25



D Straightgate Blue

New for 2019!

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.

Specifications:
Item Number— OPD1
Weight oz— 2.30 oz
Weight gm— 65.00 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273410859
Retail— $8.25



D Straightgate Black

Price reduced for 2019

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.
This item is listed as National Stock Number (NSN) 8465-01-561-6950.

Specifications:
Item Number— OPD5
Weight oz— 2.30 oz
Weight gm— 65.00 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273401024
Retail— $9.95



D Straightgate Gray

Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull to reduce glare. It's a minor detail, but definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:
Item Number— OPDMC
Weight oz— 2.30 oz
Weight gm— 65 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273407811
Retail— $10.25

D Straightgate Carabiners



D Straightgate Bright

Price reduced for 2019

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.
This item is listed as National Stock Number (NSN) 8465-01-322-7433

Specifications:

Item Number— OPD6
Weight oz— 2.30 oz
Weight gm— 65 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273401031
Retail— $7.25



D Straightgate Six-Pack

Price reduced for 2019

A bargain priced six pack of our popular D Straightgates.

Specifications:

Item Number— OPD6-6
Certified to— CE
UPC— 821273401062
Retail— $39.95



D Straightgate Anodized Clear

Price reduced for 2019

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.
This item is anodized with a clear finish.

Specifications:

Item Number— OPD7
Weight oz— 2.30 oz
Weight gm— 65 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273401048
Retail— $9.95



D Straightgate Foliage Green

Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:

Item Number— OPDFG
Weight oz— 2.30 oz
Weight gm— 65 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273401802
Retail— $10.25



Five-O Bentgate Bright

Price reduced for 2019

Five generations of development have perfected this carabiner. Huge gate clearances with deep baskets provide effortless clipping. Available in straight, bent, wire and locking gates for virtually any use. Built from aircraft-quality aluminum and our exclusive ISO Cold Forged process, the Five-O is the premier free-climbing carabiner. Perfect for alpine, ice, and sport climbing, the Five-O boasts up to 27mm of gate clearance.

Specifications:
Item Number— OPFO6B
Weight oz— 2.19 oz
Weight gm— 62 gm
Gate Opening in— 1.06 in
Gate Opening mm— 27 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Certified to— CE
UPC— 821273406517
Retail— $8.90



Five-O Screw-Lok Bright

Price reduced for 2019

Specifications:
Item Number— OPFO6L
Weight oz— 2.40 oz
Weight gm— 68 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Locking— Screw-Lok
Certified to— CE
UPC— 821273406524
Retail— $9.90



Five-O Straightgate Bright

Price reduced for 2019

Specifications:
Item Number— OPFO6S
Weight oz— 2.12 oz
Weight gm— 60 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Certified to— CE
UPC— 821273406500
Retail— $8.50



Five-O Wiregate Bright

Price reduced for 2019

Specifications:
Item Number— OPFO6W
Weight oz— 1.31 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 3.67 in
Length mm— 93.22 mm
Width in— 2.04 in
Width mm— 51.82 mm
Certified to— CE
UPC— 821273406531
Retail— $7.85



Five-O Bentgate- Turquoise

Price reduced for 2019

Five generations of development have perfected this carabiner. Huge gate clearances with deep baskets provide effortless clipping. Available in straight, bent, wire and locking gates for virtually any use. Built from aircraft-quality aluminum and our exclusive ISO Cold Forged process, the Five-O is the premier free-climbing carabiner. Perfect for alpine, ice, and sport climbing, the Five-O boasts up to 27mm of gate clearance.

Specifications:
Item Number— OPFOB
Weight oz— 2.19 oz
Weight gm— 62.00 gm
Gate Opening in— 1.06 in
Gate Opening mm— 27 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Certified to— CE
UPC— 821273406555
Retail— $9.25



Five-O Screw-Lok- Turquoise

Price reduced for 2019

Specifications:
Item Number— OPFOL
Weight oz— 2.40 oz
Weight gm— 68.00 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273406562
Retail— $10.75



Five-O Straightgate- Turquoise

Price reduced for 2019

Specifications:
Item Number— OPFOS
Weight oz— 2.12 oz
Weight gm— 60.00 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Certified to— CE
UPC— 821273406548
Retail— $8.90



Five-O Wiregate- Turquoise

Price reduced for 2019

Specifications:
Item Number— OPFOW
Weight oz— 1.31 oz
Weight gm— 37 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 24kN (5395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 3.67 in
Length mm— 93.22 mm
Width in— 2.04 in
Width mm— 51.82 mm
Certified to— CE
UPC— 821273406579
Retail— $8.65

Jake Carabiners



Jake Keylock Screw-Lok Gunmetal/ Bright

To be honest, the Jake is one of the coolest carabiners on the market and, for years, has set the standard for HMS carabiners. To start with, its shape orients the load, predictably, where we want it every time. Other belay carabiners can be loaded on the nose of the carabiner- a very dangerous situation.
The Jake eliminated this problem through a superior design. It always centers your belay/rappel device so that in double-rope rappels, neither strand of rope is pinched on the spine, ensuring a smooth and predict-able rap'. The Jake is also equipped with a truly unique side-swing gate which provides you with greater gate clearance and ease of use.

Specifications:
Item Number— OPHMSKLL
Weight oz— 3.39 oz
Weight gm— 96 gm
Gate Opening in— 1.18 in
Gate Opening mm— 28 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.53 in
Length mm— 115.02 mm
Width in— 3.15 in
Width mm— 80.10 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273402090
Retail— $16.95



Jake Keylock Quik-Lok Gunmetal/ Bright

Price reduced for 2019

This item is listed as National Stock Number (NSN) 5340-01-570-6187

Specifications:
Item Number— OPHMSKLQ
Weight oz— 3.70 oz
Weight gm— 105 gm
Gate Opening in— 1.02 in
Gate Opening mm— 26 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.53 in
Length mm— 115.02 mm
Width in— 3.15 in
Width mm— 80.10 mm
Certified to— CE
Locking— 2-stage Quik-Lok
UPC— 821273402106
Retail— $17.25



Jake Screw-Lok Pewter/Turquoise

Price reduced for 2019

This item is listed as National Stock Number (NSN) 8465-01-583-4388

Specifications:
Item Number— OPHMSL
Weight oz— 3.48 oz
Weight gm— 98.73 gm
Gate Opening in— .98 in
Gate Opening mm— 25 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.50 in
Length mm— 114.30 mm
Width in— 3.15 in
Width mm— 80.01 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273402021
Retail— $15.95



Jake Quik-Lok Pewter- Turquoise

Price reduced for 2019

This item is listed as National Stock Number (NSN) 5340-01-570-6187

Specifications:
Item Number— OPHMSQ
Weight oz— 3.70 oz
Weight gm— 104.89 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.50 in
Length mm— 114.30 mm
Width in— 3.15 in
Width mm— 80.01 mm
Certified to— CE
Locking— 2-stage Quik-Lok
UPC— 821273402038
Retail— $16.85

Jake & D Screw-Loks



Jake 3-Stage Quik-Lok Pewter/ Turquoise

Price reduced for 2019

To be honest, the Jake is one of the coolest carabiners on the market and, for years, has set the standard for HMS carabiners. To start with, its shape orients the load, predictably, where we want it every time. Other belay carabiners can be loaded on the nose of the carabiner- a very dangerous situation.
The Jake always centers your belay or rappel device so that in double-rope rappels, neither strand of rope is pinched on the spine, ensuring a smooth and predict-able rap'. Equipped with a truly unique side-swing gate which provides you with greater clearance. National Stock Number (NSN) 5340-01-570-6187.

Specifications:
Item Number— OPHMSQ3
Weight oz— 3.70 oz
Weight gm— 104.89 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.50 in
Length mm— 114.30 mm
Width in— 3.15 in
Width mm— 80.01 mm
Certified to— CE
Locking— 3-Stage Quik-Lok
UPC— 821273402045
Retail— $19.95



D Screw-Lok Blue

New for 2019!

The classic D shape with a traditional Screw-Lok. You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.

Specifications:
Item Number— OPL1
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273410866
Retail— $14.50



D Screw-Lok Red

New for 2019!

Specifications:
Item Number— OPL3
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404092
Retail— $14.50



D Screw-Lok Black

This item is listed as National Stock Number (NSN) 8465-01-555-0093.

Specifications:
Item Number— OPO6L
Weight oz— 2.30 oz
Weight gm— 65.32 gm
Gate Opening in— .63 in
Gate Opening mm— 16 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404018
Retail— $14.50



D Screw-Lok Gray

Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:

Item Number— OPLMC
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404100
Retail— $14.50



D Screw-Lok Bright

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.

Specifications:

Item Number— OPL6
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404025
Retail— $10.95



D Screw-Lok Bright Six Pack

Specifications:

Item Number— OPL6-6
Certified to— CE
UPC— 821273404070
Retail— $58.25



D Screw-Lok Foliage Green

Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.
This item is listed as National Stock Number NSN: 5365-01-605-9013

Specifications:

Item Number— OPLFG
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404087
Retail— $14.50

Omega Pacific

Lite D Straightgates & Screw-Loks



Lite D Straightgate Blue

New for 2019!

Economical Lite D's are the backbone of most climbers' racks and to some, shaving ounces is the most important thing, so we trimmed the weight of our standard D by a full fourteen grams, yet still provide 24kN of major-axis strength! By utilizing ISO Cold Forging and a smaller bar stock than our standard D series, we achieve the perfect compromise between strength and weight.

Specifications:
Item Number— OPLD1
Weight oz— 1.79 oz
Weight gm— 50.79 gm
Gate Opening in— .75 in
Gate Opening mm— 19 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
UPC— 821273410996
Retail— $8.50



Lite D Straightgate Bright

Specifications:
Item Number— OPLD6
Weight oz— 1.79 oz
Weight gm— 50.79 gm
Gate Opening in— .75 in
Gate Opening mm— 19 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
UPC— 821273404049
Retail— $6.25



Lite D Straightgate Black

Praised by Climbers & Tactical Teams alike! Provides 24kN of major-axis strength! By utilizing ISO Cold Forging and a smaller bar stock than our standard D series, we achieve the perfect compromise between strength and weight.

Specifications:
Item Number— OPLD5
Weight oz— 1.79 oz
Weight gm— 50.79 gm
Gate Opening in— .75 in
Gate Opening mm— 19 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
UPC— 821273404032
Retail— $8.50



Lite D Screw-Lok Bright

D's are the backbone of most climbers' racks and to some, shaving ounces is the most important thing, so we trimmed the weight of our standard D by a full fourteen grams, yet still provide 24kN of major-axis strength! By utilizing ISO Cold Forging and a smaller bar stock than our standard D series, we achieve the perfect compromise between strength and weight.

Specifications:
Item Number— OPLL6
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404063
Retail— $8.95

Omega Pacific

Lite D Screw-Loks & Ovals



Lite D Screw-Lok Black

This item is listed as National Stock Number (NSN) 8465-01-498-8942.

Specifications:

Item Number— OPLL5
Weight oz— 2.01 oz
Weight gm— 56.95 gm
Gate Opening in— .59 in
Gate Opening mm— 15 mm
Major Axis Strength kN— 24 kN (5,395 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.23 in
Length mm— 107.44 mm
Width in— 2.19 in
Width mm— 55.63 mm
Certified to— CE
Locking— Screw-Lok
UPC— 821273404056
Retail— $12.25



Oval Straightgate Blue

New for 2019!

Oval carabiners are a real technological challenge. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings. However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means you can rely on for everyday, all-around use.

Specifications:

Item Number— OPO1
Weight oz— 2.30 oz
Weight gm— 65.32 gm
Gate Opening in— .63 in
Gate Opening mm— 16 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
UPC— 821273410873
Retail— $8.25



Oval Straightgate Black

Price reduced for 2019

With our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means that you can rely on it for everyday, all-around use. This item is listed as National Stock Number (NSN) 8465-01-415-5137.

Specifications:

Item Number— OPO5
Weight oz— 2.50 oz
Weight gm— 70.76 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
UPC— 821273405015
Retail— $9.95



Oval Screw-Lok Black/Green

New for 2019!

Oval carabiners are a real technological challenge. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings. However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means you can rely on for everyday, all-around use.

Specifications:

Item Number— OPO52L
Weight oz— 2.50 oz
Weight gm— 70.76 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
Locking— Screw-Lok
UPC— 821273405077
Retail— $10.95

Oval Straightgates



Oval Straightgate Bright

Oval carabiners are a real technological challenge. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings.
However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means you can rely on for everyday, all-around use.
This item is listed as National Stock Number (NSN) 7810-01-075-8135.

Specifications:
Item Number— OPO6
Weight oz— 2.30 oz
Weight gm— 65.32 gm
Gate Opening in— .63 in
Gate Opening mm— 16 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
UPC— 821273405022
Retail— $7.25



Oval Straightgate Bright Six Pack

Specifications:
Item Number— OPO6-6
UPC— 821273405053
Retail— $39.50



Oval Straightgate Bright/Blue

Price reduced for 2019

Oval carabiners are a real technological challenge. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings.
However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means you can rely on it for everyday, all-around use. This item is listed as National Stock Number (NSN) 8465-01-418-4687

Specifications:
Item Number— OPO61
Weight oz— 2.30 oz
Weight gm— 65.32 gm
Gate Opening in— .63 in
Gate Opening mm— 16 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
UPC— 821273405039
Retail— $7.95



Oval Straightgate Bright/Green

New for 2019!

Oval carabiners are a real technological challenge. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings. However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means you can rely on for everyday, all-around use.

Specifications:
Item Number— OPO62
Weight oz— 2.30 oz
Weight gm— 65.32 gm
Gate Opening in— .63 in
Gate Opening mm— 16 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
UPC— 821273405091
Retail— $8.25

Oval Screw-Loks



Oval Screw-Lok Black

Price reduced for 2019

Oval carabiners are a real technological challenge. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings.
However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means that our oval is an oval you can rely on for everyday, all-around use.

Specifications:
Item Number— OPO5L
Weight oz— 2.50 oz
Weight gm— 70.76 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
Locking— Screw-Lok
UPC— 821273405084
Retail— $10.95



Oval Screw-Lok Bright

Price reduced for 2019

Specifications:
Item Number— OPO6L
Weight oz— 2.50 oz
Weight gm— 70.76 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
Locking— Screw-Lok
UPC— 821273405046
Retail— $9.95



Oval Screw-Lok Bright Six Pack

Specifications:
Item Number— OPO6L-6
Locking— Screw-Lok
UPC— 821273405060
Retail— $58.25



Vulcan Quickdraw Wire/Wire

Price reduced for 2019

No longer considered appropriate solely for Crack climbers, trad climbers and ice climbers alike all agree that they're time-savers and a vital piece of the climbing system. Used to reduce rope drag and to prevent accidental dislodging of protection on the lead, quickdraws are specialized pieces of equipment that come in a variety of styles, lengths and with varying types of carabiners dedicated to either end.
In general, longer 'draws are better for wandering face climbs (tripled shoulder slings like our Alpine Draws are the best) or traditional crack climbs, but for short routes that are primarily bolt-protected, shorter quickdraws are the norm. For ice climbing, select one of the Five-O series draws for their ease-of-use with gloves; if you're on a budget, select the Dirtbag Draws for their low cost. No matter what your preference or style of climbing, you'll find an Omega Pacific quickdraw that's up to the task.
We orient our carabiners on all our standard quickdraws with the gates facing opposite each other. We feel that this is the safest method to minimize the possibility of simultaneously loading both carabiners in a gate-open position while leading routes which may wander above and to the left or right of your last placement.

Specifications:

Item Number— OPVNQDWW
Length in— 10.375 in (264 mm)
Weight oz— 2.56 oz (73 gm)
UPC— 821273410811
Retail— $14.86



Vulcan Quickdraw Rack Pack + Free Locker

Price reduced for 2019

Get Six Vulcan Quickdraws and a free Classic Screwlock carabiner, as well.

Specifications:

Item Number— OPVNQDWW-6
UPC— 821273408610
Retail— $86.19



Gym Pro Quickdraw

Price reduced for 2019

Designed for gyms, with a hardened steel screw link for maximum longevity. Excellent as a fixed draws on your next outdoor projects!
No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment for Gym Rats everywhere. We orient our carabiners on all our standard quickdraws with the gates facing opposite each other. We feel that this is the safest method to minimize the possibility of simultaneously loading both carabiners in a gate-open position while leading routes which may wander above and to the left or right of your last placement.

Specifications:

Item Number— OPGPQD-4
Length in— 10 in (254 mm)
Weight oz— 7.26 oz (206 gm)
UPC— 821273401727
Retail— $17.65



Lava/Lava Alpine Quickdraw

Price reduced for 2019

Crack climbers, trad climbers and ice climbers alike all agree that they're time savers and a vital piece of the climbing system. No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment on almost every climber's rack. Used to reduce rope drag and to prevent accidental dislodging of protection on the lead, quickdraws are specialized pieces of equipment that come in a variety of styles, lengths and with varying types of carabiners dedicated to either end. Utilizing the Lava built for multipurpose use as a daily workhorse carabiner, the Lava features the Infinity Wiregate for easier handling and more secure clipping. Weighing in at 34gm, it's a lightweight, all-mountain carabiner!

Specifications:

Item Number— OPLVAPQD
Length in— 13.5 in (343 mm)
Weight oz— 3.6 oz (102 gm)
UPC— 821273404247
Retail— $19.25



Lava/Dash Quickdraw- 4" Dyneema Sling

Price reduced for 2019

No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment on almost every climber's rack. Crack climbers, trad climbers and ice climbers alike all agree that they're time-savers and a vital piece of the climbing system.
In general, longer 'draws are better for wandering face climbs (tripled shoulder slings like our Alpine Draws are the best) or traditional crack climbs, but for short routes that are primarily bolt-protected, shorter quickdraws are the norm. For ice climbing, select one of the Five-O series draws for their ease-of-use with gloves; if you're on a budget, select the Dirtbag Draws for their low cost. No matter what your preference or style of climbing, you'll find an Omega Pacific quickdraw that's up to the task.
We orient our carabiners on all our standard quickdraws with the gates facing opposite each other. We feel that this is the safest method to minimize the possibility of simultaneously loading both carabiners in a gate-open position while leading routes which may wander above and to the left or right of your last placement.

Specifications:

Item Number— OPMDLVQD-4
Length in— 10.25 in (260 mm)
Weight oz— 2.82 oz (80 gm)
UPC— 821273404254
Retail— $14.75



Dash Dirtbag Quickdraw

Price reduced for 2019

Specifications:

Item Number— OPMDQD6W
Length in— 10.5 in (267 mm)
Weight oz— 2.94 oz (83 gm)
UPC— 821273404346
Retail— $11.50



Dash Dirtbag Rack Pack + Free Locker

Price reduced for 2019

Get Six Dash Quickdraws and a free Classic Screwlock carabiner, as well.

Specifications:

Item Number— OPMDQD6W-6
UPC— 821273404353
Retail— $65.85



Dash Quickdraw Wire/Wire

Price reduced for 2019

No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment on almost every climber's rack. Crack climbers, trad climbers and ice climbers alike all agree that they're time-savers and a vital piece of the climbing system. Used to reduce rope drag and to prevent accidental dislodging of protection on the lead, quickdraws are specialized pieces of equipment that come in a variety of styles, lengths and with varying types of carabiners dedicated to either end.
In general, longer 'draws are better for wandering face climbs (tripled shoulder slings like our Alpine Draws are the best) or traditional crack climbs, but for short routes that are primarily bolt-protected, shorter quickdraws are the norm. For ice climbing, select one of the Five-O series draws for their ease-of-use with gloves; if you're on a budget, select the Dirtbag Draws for their low cost. No matter what your preference or style of climbing, you'll find an Omega Pacific quickdraw that's up to the task.
We orient our carabiners on all our standard quickdraws with the gates facing opposite each other.

Specifications:

Item Number— OPMDQD-4
Length in— 10.375 in (264 mm)
Weight oz— 2.94 oz (83 gm)
UPC— 821273404131
Retail— $13.50



Dash Quickdraw Rack Pack + Free Locker

Price reduced for 2019

Get Six Dash Quickdraws and a free Classic Screwlock carabiner, as well.

Specifications:

Item Number— OPMDQD4-6
UPC— 821273404148
Retail— $79.95



Classic Keylock/Dash Quickdraw Straight/Wire

Price reduced for 2019

Specifications:

Item Number— OPCLKLMDQD-4
Length in— 10.875 in (267 mm)
Weight oz— 3.5 oz (98 gm)
UPC— 821273400171
Retail— $15.85



Dash/Dash Alpine Quickdraw Wire/Wire

Price reduced for 2019

Specifications:

Item Number— OPMDAPQD
Length in— 13.5 in (343 mm)
Weight oz— 3.58 oz (101 gm)
UPC— 821273408078
Retail— $18.50



Dirtbag Draw Classic Straightgate/ Classic Bentgate

Price reduced for 2019

No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment on almost every climber's rack. Crack climbers, trad climbers and ice climbers alike all agree that they're time-savers and a vital piece of the climbing system. Used to reduce rope drag and to prevent accidental dislodging of protection on the lead, quickdraws are specialized pieces of equipment that come in a variety of styles, lengths and with varying types of carabiners dedicated to either end.

In general, longer 'draws are better for wandering face climbs (tripled shoulder slings like our Alpine Draws are the best) or traditional crack climbs, but for short routes that are primarily bolt-protected, shorter quickdraws are the norm. For ice climbing, select one of the Five-O series draws for their ease-of-use with gloves; if you're on a budget, select the Dirtbag Draws for their low cost. No matter what your preference or style of climbing, you'll find an Omega Pacific quickdraw that's up to the task.

We orient our carabiners on all our standard quickdraws with the gates facing opposite each other.

Specifications:

Item Number— OPCLQD6SB
Length in— 11.125 in (283 mm)
Weight oz— 4.06 oz (115 gm)
UPC— 821273400188
Retail— $12.95



Dirtbag Draw Rack Pack + Free Locker

Get Six Classic Quickdraws and a free Classic Screwlock carabiner, as well.

Specifications:

Item Number— OPCLQD6SB-6
UPC— 821273400195
Retail— $73.50



Classic Keylock Quickdraw Straight/Bent

Price reduced for 2019

Specifications:

Item Number— OPCLKLQDSB
Length in— 11.25 in (286 mm)
Weight oz— 4.1 oz (116 gm)
UPC— 821273400218
Retail— $18.50



Classic Keylock Quickdraw Rack Pack + Free Locker

Price reduced for 2019

Get Six Classic Quickdraws and a free Classic Screwlock carabiner, as well.

Specifications:

Item Number— OPCLKLQDSB-6
UPC— 821273400157
Retail— $99.85



Classic Straightgate/Classic Bentgate Quickdraw

Price reduced for 2019

No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment on almost every climber's rack. Crack climbers, trad climbers and ice climbers alike all agree that they're time-savers and a vital piece of the climbing system. Used to reduce rope drag and to prevent accidental dislodging of pro-tection on the lead, quickdraws are specialized pieces of equipment that come in a variety of styles, lengths and with varying types of carabiners dedicated to either end.
In general, longer 'draws are better for wandering face climbs (tripled shoulder slings like our Alpine Draws are the best) or traditional crack climbs, but for short routes that are primarily bolt-protected, shorter quickdraws are the norm. For ice climbing, select one of the Five-O series draws for their ease-of-use with gloves; if you're on a budget, select the Dirtbag Draws for their low cost. No matter what your preference or style of climbing, you'll find an Omega Pacific quickdraw that's up to the task.
We orient our carabiners on all our standard quickdraws with the gates facing opposite each other.

Specifications:

Item Number— OPCLQDSB
UPC— 821273400225
Retail— $14.65



Five-O Straightgate/Five-O Bentgate Quickdraw

Price reduced for 2019

Specifications:

Item Number— OPFOQDSB
Length in— 11.5 in (292 mm)
Weight oz— 4.54 oz (129 gm)
UPC— 821273406623
Retail— $18.50



Five-O Straightgate/Five-O Wiregate Quickdraw

Price reduced for 2019

Specifications:

Item Number— OPFOQDSW
Length in— 11.5 in (292 mm)
Weight oz— 4.26 oz (121 gm)
UPC— 821273406630
Retail— $16.25



Five-O Wiregate/Five-O Wiregate Quickdraw

Price reduced for 2019

Specifications:

Item Number— OPFOQDWW
Length in— 11.5 in (292 mm)
Weight oz— 4.12 oz (117 gm)
UPC— 821273406647
Retail— $14.75



Five-O Wiregate/Five-O Wiregate Quickdraw Rack Pack + Free Locker

Price reduced for 2019

No longer considered appropriate solely for sport climbs or "clip-ups," quickdraws have become standard equipment on almost every climber's rack. Crack climbers, trad climbers and ice climbers alike all agree that they're time-savers and a vital piece of the climbing system. Used to reduce rope drag and to prevent accidental dislodging of pro-tection on the lead, quickdraws are specialized pieces of equipment that come in a variety of styles, lengths and with varying types of carabiners dedicated to either end.

In general, longer 'draws are better for wandering face climbs (tripled shoulder slings like our Alpine Draws are the best) or traditional crack climbs, but for short routes that are primarily bolt-protected, shorter quickdraws are the norm. For ice climbing, select one of the Five-O series draws for their ease-of-use with gloves; if you're on a budget, select the Dirtbag Draws for their low cost. No matter what your preference or style of climbing, you'll find an Omega Pacific quickdraw that's up to the task.

Specifications:

Item Number— OPFOQDWW-6
UPC— 821273406654
Retail— $88.50

Dyneema Dogbone & Sling





Omega Pacific 4" Dyneema Dogbone Quickdraw

Omega Pacific 12mm Dyneema Quickdraws strike the perfect balance between strength, durability and lightweight. Rated at 22kN.

Specifications:

Item Number— OPSLDY-4
Certified to— CE
Length in— 4 in (101.6 mm)
Width in— .51 in (13 mm)
Weight oz— .288 oz (8.16 gm)
UPC— 821273407057
Retail— $3.75

Omega Pacific 24" Dyneema Sling

Our 12mm Dyneema slings strike the perfect balance between strength, durability and lightweight. Rated at 22kN, these narrow runners are superb for anchors and long draws.

Specifications:

Item Number— OPSLDY-24
Certified to— CE
Length in— 24 in (609.6 mm)
Width in— .51 in (13 mm)
Weight oz— 1.1 oz (31.18 gm)
UPC— 821273407071
Retail— $7.50

Mountain Ice Axes



Omega Pacific Mountain Axe

Price reduced for 2019

Proven over the years, the piolet is the most important tool on the mountain.
Great for chopping steps, building snow anchors or bollards, performing boot/axe belays and, of course, self-arresting. Our axe is built from laser-cut NiCrMo, Tig-welded heads, spikes, and aircraft-quality 6061 T6 aluminum alloy. Built to take a beating, this axe is rugged, yet lightweight at under 22 oz., you'll barely notice when it's lashed to your pack.

Mountain Axe, 60cm

Specifications:
Item Number— MAX60-1
Weight oz— 22 oz
Weight gm— 622 gm
Certified to— CE
UPC— 821273504817
Retail— $59.95

Mountain Axe, 65cm

Specifications:
Item Number— MAX65-1
Weight oz— 22.4 oz
Weight gm— 637 gm
Certified to— CE
UPC— 821273504824
Retail— $59.95

Mountain Axe, 70cm

Specifications:
Item Number— MAX70-1
Weight oz— 23.4 oz
Weight gm— 665 gm
Certified to— CE
UPC— 821273504831
Retail— $59.95

Mountain Axe, 75m

Specifications:
Item Number— MAX75-1
Weight oz— 24.4 oz
Weight gm— 693 gm
Certified to— CE
UPC— 821273504848
Retail— $59.95

Mountain Axe, 80cm

Specifications:
Item Number— MAX80-1
Weight oz— 25.3 oz
Weight gm— 716 gm
Certified to— CE
UPC— 821273504855
Retail— $59.95

Wall Hammer & Pulleys

Omega Pacific



Wall Hammer w/ Funkness Device

Our hammer is, simply, the very best wall hammer ever built. It's got heft - 32 ounces of it - for driving even the most pesky pins with ease. The fiberglass shaft reduces vibration and the ribbed rubber handle is easy to hold with plenty of surface contact for accuracy and power. The head has an extended beak for tapping 'heads and the carabiner hole and the butt ring are big enough to accommodate nearly any carabiner out there. Every hammer also comes equipped with our Funkness Device for testing and removing 'heads and pins. Or, you can use it as a bomber hammer leash.

Specifications:

Item Number— WHMR
Weight oz— 36.1 oz
Weight gm— 1023.4 gm
Length in— 13.5 in
Length mm— 343 mm
Width in— 1.0625 in
Width mm— 27 mm
UPC— 821273508501
Retail— $99.95



Funkness Device

An indispensable addition to your Big Wall quiver, the Omega Funkness Device features a 36" steel cable with swaged loops on the ends. Attach one end of the Funkness to the hole in the head of our Omega Pacific Wall Hammer the other to the piece of hardware you are "funking out".
The Stainless Steel Cable allows you to apply an incredible amount of force with a flick of the wrist!

Specifications:

Item Number— OPFD
Weight oz— 3.55 oz
Weight gm— 101 gm
Length 36 in (914.4 mm)
Strength kN— 10kN (2,248 lbf)
UPC— 821273508518
Retail— $10.50



Revo Compact Pulley- Blue

Price reduced for 2019

Built with aircraft aluminum and stainless steel, REVO Pulleys are available in Rescue or Compact versions for hauling, lowering, raising and rescue purposes.
Each REVO pulley is prusik-minding with a stainless steel wheel that rides on a self-lubricating bushing that needs no maintenance. The REVO Compact is CE Certified and weighs only 78g, making it a perfect component to a glacier rescue kit or for hauling up the pig on big routes. Both are assembled using low-profile, Deep Press Riveting to eliminate interference from surfaces and other gear. Use with 10mm and smaller ropes.

Specifications:

Item Number— OPPL31
Weight gm— 78 gm
Length— 76 mm
Width— 58 mm
Depth— 23 mm
Wheel Diameter— 31 mm
Certified to— CE
UPC— 821273410767
Retail— $33.80



Revo Liquid 2" PMP Pulley - Orange
New for 2019!

At last, our Revo Rescue Pulley that's made for the River. Designed for water rescue, the Revo Liquid features sealed ball bearings that deliver a smooth and consistent action. The light-weight aircraft-grade aluminum side plates are designed with flow-through lightening holes to reduce aquaplaning out in the rapids. They also have a wide base that effectively minds progress capture, while having a slim profile to reduce snagging in a moving rope system. Topside, our oversized attachment point eyelet supports multiple carabiner connections and allows locking mechanisms to pass through. Made in Washington State, USA.

Specifications:

Item Number— OPPLREVOLQ
Weight- 6.4 oz. /181.4 gm
Length- 4.12 in / 104.6 mm
Width- 3.00 in / 76.2 mm
Depth- 1.32 in /33.5 mm
For use with ropes up to 1/2" (12.7mm)
3 SIGMA MBS: 36 KN (8,093 lbf)
UPC— 821273470594
Retail— $39.75



Revo Pro Pulley- 2”
New for 2019!

The Revo Pro Professional Grade Pulleys are available with 2” and 3” sheaves in both single and double configurations. Excellent for hauling and rescue, these Prusik-minding designs feature sealed bearings that deliver smooth, powerful hauls. Constructed with rugged aircraft-grade aluminum side plates. The Pro Series models are UL certified to NFPA 1983:2017 standards for “G” General Use. The wide base effectively minds progress capture, while a slim profile reduces snagging in a moving rope system. Topside, our oversized attachment point eyelet supports multiple carabiner connections and allows locking mechanisms to pass through. Color coded to easily identify 2” & 3” models. For use with ropes up to 1/2” (12.7mm)
Made in Washington State, USA.

Specifications:
Item Number— OPPLREVO2
Weight— 7.8 oz /222 gm
Length— 4.45 in / 113 mm
Width— 3.41 in / 87 mm
Depth— 1.32 in / 34 mm
3 SIGMA MBS: 36 KN (8,093 lbf)
Certified to— NFPA:1983
UPC— 821273603091
Retail— $58.61



Revo Pro Double Pulley- 2”
New for 2019!

Specifications:
Item Number— OPPLREVO2D
Weight— 13.30 oz / 378 gm
Length— 5.62 in / 143 mm
Width— 3.41 / 87 mm
Depth— 2.13 in / 54 mm
3 SIGMA MBS: 50 KN (11,240 lbf)
Certified to— NFPA:1983
UPC— 821273603107
Retail— $92.90



Revo Pro Pulley- 3”
New for 2019!

Specifications:
Item Number— OPPLREVO3
Weight— 13.70 oz / 388 gm
Length— 5.59 in / 142 mm
Width— 4.26 in / 108 mm
Depth— 1.32 in / 34 mm
3 SIGMA MBS: 36 KN (8,093 lbf)
Certified to— NFPA:1983
UPC— 821273603114
Retail— $81.94



Revo Pro Double Pulley- 3”
New for 2019!

Specifications:
Item Number— OPPLREVO3D
Weight— 23.20 oz / 660 gm
Length— 6.78 in / 172 mm
Width— 4.26 in / 108 mm
Depth— 2.13 in / 54 mm
3 SIGMA MBS: 50 KN (11,240 lbf)
Certified to— NFPA:1983
UPC— 821273603121
Retail— $126.42

Omega Pacific

Tephra Trapwire & Captive Eyes



Tephra Trapwire Quik-Lok NFPA

Price reduced for 2019

By combining innovation and functionality into our exclusive TrapWire technology, the Tephra carabiner is safer, stronger, and noticeably lighter than other belay carabiners. The Trapwire "keeper" at the bottom of the carabiner helps maintain proper orientation while belaying and it serves as the main spring of the carabiner. We eliminated the traditional lever/pusher and internal spring inside the gate which translates into a lighter product with fewer parts, improved reliability, and a stronger hinge.
Thanks to the unique hot-forged frame, the Tephra Trapwire is one of the strongest belay carabiners. The narrow, low-profile nose and Keylock design make smooth, snag-free connections to belay loops, rappel devices, webbing and gear loops.

Specifications:

Item Number— OPTP3QLNFPA
Weight oz— 2.15 oz
Weight gm— 61 gm
Gate Opening in— 0.9 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273603077
Retail— $23.95



Tephra Screw-Lok Captive Eye NFPA

Price reduced for 2019

Omega Pacific's new addition to the Tephra Series, we added a durable stainless steel Captive Eye Pin to our hot-forged frame. The rugged pin is replaceable and will hold up to the rigors of professional use in the field.
Tephra is the Greek word for erupted elements from a volcano, the unique hot-forged aluminum frame is strong, yet lightweight, indeed one of the finest belay carabiners around. The narrow, low-profile nose and Keylock design make smooth, snag-free connections to rappel devices, webbing, belay and gear loops. The Tephra permits clean and simple racking of a belay device while not in use.

Specifications:

Item Number— OPTPP36LCENFPA
Weight oz— 2.12 oz
Weight gm— 60 gm
Gate Opening in— 0.9 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273410927
Retail— $17.25



Tephra Quik-Lok Captive Eye NFPA

Price reduced for 2019

Specifications:

Item Number— OPTPP36QLCENFPA
Weight oz— 2.22 oz
Weight gm— 63 gm
Gate Opening in— 0.9 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 10 kN (2,248 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.41 in
Length mm— 112 mm
Width in— 3.11 in
Width mm— 70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273410934
Retail— $21.25

Omega Pacific

G-First Screw-Lok Carabiners

G-FIRST Aluminum Keylock Screw-Loks

Designed as the new workhorse for Fire, Industrial, Rescue, Safety and Tactical industries, the G-FIRST is the world's lightest carabiner to earn the full-strength, "General" rating from the National Fire Protection Association and, now, ANSI Certification with a Captive Eye feature!
The G-FIRST is ISO Cold Forged from aircraft-quality, heat-treated aluminum and features a Keylock Nose to prevent snagging on webbing, ropes and harnesses! Omega Pacific's exclusive G-FIRST Carabiner is unprecedented in balance, strength, weight and compact design!
Get them in all-purpose Bright, Rescue Red or with a flat/non-reflective black finish (The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear). Whether you're fighting fires, working at height, saving lives or in a combat zone, the G-FIRST has you covered.

- UL Certified to NFPA 1983 17 ed



G-FIRST Aluminum Keylock Screw-Lok Bright

Price reduced for 2019

Specifications:
Item Number— OPGF6LNFPA
Weight oz— 4.60 oz
Weight gm— 130.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130.04 mm
Width in— 2.94 in
Width mm— 74.67 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273600144
Retail— $32.25



G-FIRST Aluminum Keylock Screw-Lok Red/Bright

Price reduced for 2019

Specifications:
Item Number— OPGF36LNFPA
Weight oz— 4.60 oz
Weight gm— 184.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273600106
Retail— $33.50



G-FIRST Aluminum Keylock Screw-Lok Black

Price reduced for 2019

Specifications:
Item Number— OPGF55LNFPA
Weight oz— 4.90 oz
Weight gm— 184.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273600120
Retail— $34.75

G-FIRST Keylock 2 Stage Quik-Lok

Omega Pacific

G-FIRST Aluminum Keylock 2-Stage Quik-Loks

Designed as the new workhorse for Fire, Industrial, Rescue, Safety and Tactical industries, the G-FIRST is the world's lightest carabiner to earn the full-strength, "General" rating from the National Fire Protection Association and, now, ANSI Certification with a Captive Eye feature!

The G-FIRST is ISO Cold Forged from aircraft-quality, heat-treated aluminum and features a Keylock Nose to prevent snagging on webbing, ropes and harnesses! Omega Pacific's exclusive G-FIRST Carabiner is unprecedented in balance, strength, weight and compact design!

Get them in all-purpose Bright, Rescue Red or with a flat/non-reflective black finish (The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear). Whether you're fighting fires, working at height, saving lives or in a combat zone, the G-FIRST has you covered.

- UL Certified to NFPA 1983 17 ed



G-FIRST Aluminum Keylock 2-Stage Quik-Lok Bright

Price reduced for 2019

Specifications:
Item Number— OPGF6QNFPA
Weight oz— 4.90 oz
Weight gm— 184.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600151
Retail— $34.75



G-FIRST Aluminum Keylock 2-Stage Quik-Lok Red/Bright

Price reduced for 2019

Specifications:
Item Number— OPGF36QNFPA
Weight oz— 4.90 oz
Weight gm— 184.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600113
Retail— $36.25



G-FIRST Aluminum Keylock 2-Stage Quik-Lok Black

Price reduced for 2019

Specifications:
Item Number— OPGF55QNFPA
Weight oz— 4.60 oz
Weight gm— 130.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600137
Retail— $37.50

G-FIRST Keylock 2 Stage Quik-Lok Captive Eye

Omega Pacific

G-FIRST Aluminum Keylock 2-Stage Quik-Loks w/ Captive Eye

Designed as the new workhorse for Fire, Industrial, Rescue, Safety and Tactical industries, the G-FIRST is the world's lightest carabiner to earn the full-strength, "General" rating from the National Fire Protection Association and, now, ANSI Certification with a Captive Eye feature!
The G-FIRST is ISO Cold Forged from aircraft-quality, heat-treated aluminum and features a Keylock Nose to prevent snagging on webbing, ropes and harnesses! Omega Pacific's exclusive G-FIRST Carabiner is unprecedented in balance, strength, weight and compact design!
Get them in all-purpose Bright, Rescue Red or with a flat/non-reflective black finish (The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear). Whether you're fighting fires, working at height, saving lives or in a combat zone, the G-FIRST has you covered.

- UL Certified to NFPA 1983 17 ed



G-FIRST Aluminum Keylock 2 Stage Quik-Lok w/ Captive Eye- Bright

Specifications:
Item Number— OPGF6QCENFPA
Weight oz— 5.08 oz
Weight gm— 144.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600250
Retail— $35.75



G-FIRST Aluminum Keylock 2 Stage Quik-Lok w/ Captive Eye- Red

Price reduced for 2019

Specifications:
Item Number— OPGF36QCENFPA
Weight oz— 5.08 oz
Weight gm— 144.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600168
Retail— $37.25



G-FIRST Aluminum Keylock 2 Stage Quik-Lok w/ Captive Eye- Black

Price reduced for 2019

Specifications:
Item Number— OPGF55QCENFPA
Weight oz— 5.08 oz
Weight gm— 144.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600175
Retail— $38.50

G-First 3 Stage NFPA-ANSI

Omega Pacific

G-FIRST Hybrid Aluminum Keylocks 3- Stage Quik-Lok NFPA-ANSI

Designed as the new workhorse for Fire, Industrial, Rescue, Safety and Tactical industries, the G-FIRST is the world's lightest carabiner to earn the full-strength, "General" rating from the National Fire Protection Association and, now, ANSI Certification with a Captive Eye feature!
The G-FIRST is ISO Cold Forged from aircraft-quality, heat-treated aluminum and features a Keylock Nose to prevent snagging on webbing, ropes and harnesses! Omega Pacific's exclusive G-FIRST Carabiner is unprecedented in balance, strength, weight and compact design!
Get them in all-purpose Bright, Rescue Red or with a flat/non-reflective black finish (The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear). Whether you're fighting fires, working at height, saving lives or in a combat zone, the G-FIRST has you covered.
• UL Certified to NFPA 1983 17 ed



G-FIRST Hybrid Aluminum Keylock 3-Stage Quik-Lok Bright NFPA-ANSI

Price reduced for 2019

Specifications:
Item Number— OPGF6Q3NFPA
Weight oz— 6.46 oz
Weight gm— 183.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273600267
Retail— $36.75



G-FIRST Hybrid Aluminum Keylock 3-Stage Quik-Lok Red NFPA-ANSI

Price reduced for 2019

Specifications:
Item Number— OPGF36Q3NFPA
Weight oz— 6.46 oz
Weight gm— 183.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273600274
Retail— $38.95



G-FIRST Hybrid Aluminum Keylock 3-Stage Quik-Lok Black NFPA-ANSI

Price reduced for 2019

Specifications:
Item Number— OPGF55Q3NFPA
Weight oz— 6.46 oz
Weight gm— 183.00 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273600281
Retail— $39.50

G-First 3 Stage NFPA-ANSI Captive Eyes

G-FIRST Hybrid Aluminum Keylock 3- Stage Quik-Lok w/ Captive Eye

A Captive Eye style designed as the new workhorse for Fire, Industrial, Rescue, Safety and Tactical industries, the G-FIRST is the world's lightest carabiner to earn the full-strength, "General" rating from the National Fire Protection Association and, now, ANSI Certification with a Captive Eye feature! The G-FIRST is ISO Cold Forged from aircraft-quality, heat-treated aluminum and features a Keylock Nose to prevent snagging on webbing, ropes and harnesses! Omega Pacific's exclusive G-FIRST Carabiner is unprecedented in balance, strength, weight and compact design!
Get them in all-purpose Bright, Rescue Red or with a flat/non-reflective black finish (The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear). Whether you're fighting fires, working at height, saving lives or in a combat zone, the G-FIRST has you covered.
• UL Certified to NFPA 1983 17 ed



G-FIRST Hybrid Aluminum Keylock 3- Stage Quik-Lok w/ Captive Eye-Bright

Price reduced for 2019

Specifications:
Item Number— OPGF66Q3CENFPA
Weight oz— 6.49 oz
Weight gm— 184 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273600205
Retail— $37.75



G-FIRST Hybrid Aluminum Keylock 3- Stage Quik-Lok w/ Captive Eye-Red

Price reduced for 2019

Specifications:
Item Number— OPGF36Q3CENFPA
Weight oz— 6.49 oz
Weight gm— 184 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273600229
Retail— $38.95



G-FIRST Hybrid Aluminum Keylock 3- Stage Quik-Lok w/ Captive Eye-Black

Price reduced for 2019

Specifications:
Item Number— OPGF55Q3CENFPA
Weight oz— 6.49 oz
Weight gm— 184 gm
Gate Opening in— 1.10 in
Gate Opening mm— 27.94 mm
Major Axis Strength kN— 40 kN (8,992 lbf)
Gate Open Strength kN— 11 kN (2,473 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 5.12 in
Length mm— 130 mm
Width in— 2.94 in
Width mm— 74.70 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273600304
Retail— $39.50

Jake Hybrid Keylock 3-Stage Quik-Lok ANSI

Omega Pacific

Jake Hybrid Keylock 3-Stage Quik-Lok ANSI

We've updated our classic Omega Pacific Jake with a steel sleeve in an innovative new Hybrid design that features our 3-Stage Quik-Lok locking mechanism!
Omega's unique side-swing gate provides greater gate clearance and ease of use.
Cold Forged from aircraft-quality, heat-treated aluminum, our contemporary Keylock Nose prevents snagging on web-bing, ropes and harnesses.
Available in all-purpose Bright, Rescue Red or Black finish, the Jake Hybrid is a note-worthy addition to our Professional line.
• UL Certified to ANSI Z359.12/CSA Z259.12



Jake Hybrid Keylock 3-Stage Quik-Lok Bright- ANSI

Specifications:
Item Number— OPHMSHYKL66Q3
Weight oz— 5.36 oz
Weight gm— 152 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 14 kN (3,147 lbf)
Length in— 4.50 in
Length mm— 114 mm
Width in— 3.16 in
Width mm— 80 mm
Certified to— ANSI
Locking— 3-stage Quik-Lok
UPC— 821273402144
Retail— $26.45



Jake Hybrid Keylock 3-Stage Quik-Lok Red- ANSI

Specifications:
Item Number— OPHMSHYKL36Q3
Weight oz— 5.36 oz
Weight gm— 152 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 14 kN (3,147 lbf)
Length in— 4.50 in
Length mm— 114 mm
Width in— 3.16 in
Width mm— 80 mm
Certified to— ANSI
Locking— 3-stage Quik-Lok
UPC— 821273402120
Retail— $28.25



Jake Hybrid Keylock 3-Stage Quik-Lok Black- ANSI

Specifications:
Item Number— OPHMSHYKL55Q3
Weight oz— 5.36 oz
Weight gm— 152 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 14 kN (3,147 lbf)
Length in— 4.50 in
Length mm— 114 mm
Width in— 3.16 in
Width mm— 80 mm
Certified to— ANSI
Locking— 3-stage Quik-Lok
UPC— 821273402137
Retail— $29.75

NFPA Screw-Lok D



NFPA Screw-Lok D- Black

Price reduced for 2019

Small and light, this UL-Classified carabiner is the proper choice for all light-duty applications and for personal use. This NFPA carabiner is available in bright or black with a Screw-Lok locking mechanism.
UL Classified
Exceeds OSHA strength requirements

Specifications:
Item Number— OPL5NFPA
Weight oz— 2.61 oz
Weight gm— 74 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.22 in
Length mm— 107.20 mm
Width in— 2.2 in
Width mm— 55.90 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273602513
Retail— $14.95



NFPA Screw-Lok D- Bright

Price reduced for 2019

Specifications:
Item Number— OPL6NFPA
Weight oz— 2.61 oz
Weight gm— 74 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 27 kN (6,070 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.22 in
Length mm— 107.20 mm
Width in— 2.2 in
Width mm— 55.90 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273602506
Retail— $11.95

Omega Pacific

Aluminum Modified D- 1/2”



1/2” Aluminum Modified D Screw-Lok Black, NFPA

Price reduced for 2019

When your needs call for a “Light Use” demand (at least 6,000 lbf. according to the NFPA), the Omega line of aluminum carabiners is ready for action.
In typical Omega tradition, every single one of our carabiners is individually tested to half its rated strength before leaving our production line (look for the tell-tale indentations in the corners for proof). You’ll also find familiar features like flat-spin rivets and true interior radii on each ‘biner, as well. Each of our industrial aluminum carabiners is UL Classified to meet or exceed current NFPA 1983 standards.

Specifications:

Item Number— OP12A35LNFPA
Weight oz— 3.5 oz
Weight gm— 99 gm
Gate Opening in— .83 in
Gate Opening mm— 21 mm
MMajor Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.79 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273600038
Retail— $24.40



1/2” Aluminum Modified D Screw-Lok Bright, NFPA

Price reduced for 2019

Specifications:

Item Number— OP12A36LNFPA
Weight oz— 3.5 oz
Weight gm— 99 gm
Gate Opening in— .83 in
Gate Opening mm— 21 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.79 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273600069
Retail— $21.85



1/2” Aluminum Modified D Quik-Lok Blue, NFPA

Specifications:

Item Number— OP12A31QNFPA
Weight oz— 3.70 oz
Weight gm— 105 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.79 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600182
Retail— $26.45



1/2” Aluminum Modified D Quik-Lok Red, NFPA

Specifications:

Item Number— OP12A33QNFPA
Weight oz— 3.70 oz
Weight gm— 105 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.79 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600021
Retail— $26.45

Omega Pacific

Aluminum Modified D- 1/2”



1/2” Aluminum Modified D Quik-Lok Bright, NFPA

Price reduced for 2019

When your needs call for a “Light Use” demand (at least 6,000 lbf. according to the NFPA), the Omega line of aluminum carabiners is ready for action.
In typical Omega tradition, every single one of our carabiners is individually tested to half its rated strength before leaving our production line (look for the tell-tale indentations in the corners for proof). You’ll also find familiar features like flat-spin rivets and true interior radii on each ‘biner, as well. Each of our industrial aluminum carabiners is UL Classified to meet or exceed current NFPA 1983 standards.

Specifications:
Item Number— OP12A36QNFPA
Weight oz— 3.70 oz
Weight gm— 105 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.79 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600076
Retail— $23.85



1/2” Aluminum Modified D Quik-Lok w/ Captive Eye Red, NFPA

Price reduced for 2019

Specifications:
Item Number— OP12A33QCENFPA
Weight oz— 3.99 oz
Weight gm— 113 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.80 mm
Width in— 2.78 in
Width mm— 70.60 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600090
Retail— $28.45



1/2” Aluminum Modified D Quik-Lok w/Captive Eye Bright, NFPA

Price reduced for 2019

Specifications:
Item Number— OP12A36QCENFPA
Weight oz— 3.99 oz
Weight gm— 113.80 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.79 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273600311
Retail— $26.95



1/2” Aluminum Modified D 3-Stage Quik-Lok Bright, NFPA

Price reduced for 2019

Specifications:
Item Number— OP12A36Q3NFPA
Weight oz— 3.99 oz
Weight gm— 107.73 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 30 kN (6,744 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.48 in
Length mm— 113.54 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— 3-stage Quik-Lok
UPC— 821273600083
Retail— $24.95

Omega Pacific

Steel Modified D-1/2" Screw-Lok



1/2" Steel Modified D Screw-Lok Black

Price reduced for 2019

Same "D" shape as our 7/16" model, but with bigger material for increased strength. Same great handling and use characteristics but with a strength rating of 63kN (that's over 14,000 lbf.!). Like all our carabiners, every ½" Modified D is individually proof-tested to half it's rated strength which means every one of these has been proven to hold over 7000 lbs!
This item is listed as National Stock Number (NSN) 5365-01-580-2755

Specifications:
Item Number— OP12S35L
Weight oz— 9.10 oz
Weight gm— 258. gm
Gate Opening in— .83 in
Gate Opening mm— 21 mm
Major Axis Strength kN— 63 kN (14,162 lbf)
Gate Open Strength kN— 24 kN (5,395 lbf)
Minor Axis Strength kN— 12 kN (2,698 lbf)
Length in— 4.46 in
Length mm— 113.28 mm
Width in— 2.70 in
Width mm— 68.58 mm
Locking— Screw-Lok
UPC— 821273601004
Retail— $27.17



1/2" Steel Modified D Screw-Lok Gold

Price reduced for 2019

Specifications:
Item Number— OP12S38L
Weight oz— 9.10 oz
Weight gm— 258 gm
Gate Opening in— .83 in
Gate Opening mm— 21 mm
Major Axis Strength kN— 63 kN (14,162 lbf)
Gate Open Strength kN— 24 kN (5,395 lbf)
Minor Axis Strength kN— 12 kN (2,698 lbf)
Length in— 4.46 in
Length mm— 113.28 mm
Width in— 2.70 in
Width mm— 68.58 mm
Locking— Screw-Lok
UPC— 821273601011
Retail— $26.17

Omega Pacific

Steel Large D Carabiners- 1/2”




1/2” Steel Large D Screw-Lok Black, NFPA

Large D shape for great handling, huge gate opening and massive strength! At a rated strength of 72kN, it’s one of the strongest carabiners in the world! Heat-treated, half-load tested (over 8000 lbf.) and built to exacting standards.
UL Certified to the NFPA 1983 17 ed.

Specifications:

Item Number— OP12S55LNFPA
Weight oz— 10.4 oz
Weight gm— 297 gm
Gate Opening in— 1.09 in
Gate Opening mm— 28 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.90 in
Length mm— 124.26 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273601509
Retail— $34.75



1/2” Steel Large D Screw-Lok Gold, NFPA

Specifications:

Item Number— OP12S58LNFPA
Weight oz— 10.4 oz
Weight gm— 297 gm
Gate Opening in— 1.09 in
Gate Opening mm— 28 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.90 in
Length mm— 124.26 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273601516
Retail—$33.75



1/2” Steel Large D 3-Stage Quik-Lok Gold, NFPA

Specifications:

Item Number— OP12S58Q3NFPA
Weight oz— 10.64 oz
Weight gm— 302 gm
Gate Opening in— 1.07 in
Gate Opening mm— 27 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.89 in
Length mm— 124.21 mm
Width in— 4.40 in
Width mm— 111.76 mm
Certified to— NFPA
Locking— 3-stage Quik-Lok
UPC— 821273601530
Retail—$36.75



1/2” Steel Large D Keylock Screw-Lok Black NFPA

Price reduced for 2019

This is the industry-leading, half-inch, steel D on the market. Known as “Style 5,” here, its MBS rating of 72kN exceeds every standard it’s built for and is popular among firefighters and professionals, alike!
Each Style 5 is heat-treated and (like all our personal protective equipment) individually proof-loaded to half its rated strength—36 kN in this case!—before it can be approved for sale.

Specifications:

Item Number— OP12S55LKLNFPA
Weight oz— 10.4 oz
Weight gm— 297 gm
Gate Opening in— 1.09 in
Gate Opening mm— 28 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.90 in
Length mm— 124.26 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273601608
Retail—$38.65

Omega Pacific

Steel Large D Carabiners- 1/2”



1/2” Steel Large D Keylock Screw-Lok Gold NFPA

Price reduced for 2019

Still the strongest Standard 1/2” Steel D, now available with a Keylock nose. Heat-treated, half-load tested (over 8000 lbf.) and built to exacting standards.
UL Certified to the NFPA 1983 17 ed.

Specifications:
Item Number— OP12S58LKLNFPA
Weight oz— 10.40 oz
Weight gm— 297 gm
Gate Opening in— 1.09 in
Gate Opening mm— 28 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.90 in
Length mm— 124.46 mm
Width in— 2.78 in
Width mm— 70.61 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273601585
Retail— $36.65



1/2” Steel Large D Keylock 3-Stage Quik-Lok Gold, NFPA & ANSI

Price reduced for 2019

Specifications:
Item Number— OP12S58Q3KLNFPA
Weight oz— 11.40 oz
Weight gm— 323 gm
Gate Opening in— 1.07 in
Gate Opening mm— 27 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.92 in
Length mm— 125 mm
Width in— 2.80 in
Width mm— 67.80 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273601592
Retail— $45.95



1/2” Steel Large D Keylock 3-Stage Quik-Lok Black NFPA & ANSI

Price reduced for 2019

This is the industry-leading, half-inch, steel D on the market, its MBS rating of 72kN exceeds every standard it’s built for and is popular among firefighters and professionals, alike, thanks to its new ANSI and CSA Certification!
Individually proof-loaded to half its rated strength—36 kN in this case!—before it can be approved for sale.
Models are available with NFPA (G), ANSI, CSA and several gate options.
• UL Certified to the NFPA 1983 17 ed.

Specifications:
Item Number— OP12S55Q3KLNFPA
Weight oz— 11.40 oz
Weight gm— 323 gm
Gate Opening in— 1.07 in
Gate Opening mm— 27 mm
Major Axis Strength kN— 72 kN (16,186 lbf)
Gate Open Strength kN— 22 kN (4,946 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.92 in
Length mm— 125 mm
Width in— 2.80 in
Width mm— 67.80 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273601615
Retail— $46.95

Steel XLG D Screw-Loks- 1/2”



1/2” Steel XLG D Screw-Lok Gold, NFPA

Same “D” shape as our 7/16” model, but with bigger material for increased strength. Same great handling and use characteristics but with a strength rating of 56kN (that’s over 12,000 lbf.!). Like all our carabiners, every ½” Modified D is individually proof-tested to half its rated strength which means every one of these has been proven to hold over 6000 lbs!
UL Certified to the NFPA 1983 17 ed.
This item is listed as National Stock Number (NSN) 5340-01-554-1274.

Specifications:
Item Number— OP12S78LNFPA
Weight oz— 12.80 oz
Weight gm— 363 gm
Gate Opening in— 1.54 in
Gate Opening mm— 39 mm
Major Axis Strength kN— 56 kN (12,589 lbf)
Gate Open Strength kN— 16 kN (3,597 lbf)
Minor Axis Strength kN— 14 kN (3,147 lbf)
Length in— 6.00 in
Length mm— 152.40 mm
Width in— 3.65 in
Width mm— 92.71 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273601752
Retail— $39.75



1/2” Steel XLG D Screw-Lok Gold w/ Captive Eye

Specifications:
Item Number— OP12S78LCENFPA
Weight oz— 12.80 oz
Weight gm— 363 gm
Gate Opening in— 1.50 in
Gate Opening mm— 38 mm
Major Axis Strength kN— 56 kN (12,589 lbf)
Gate Open Strength kN— 21 kN (4,721 lbf)
Minor Axis Strength kN— 11 kN (2,473 lbf)
Length in— 6.00 in
Length mm— 152.40 mm
Width in— 3.65 in
Width mm— 92.70 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273601769
Retail— $41.85

Omega Pacific

Steel Modified D Carabiners- 7/16”



7/16” Steel Modified D Screw-Lok Gold

Price reduced for 2019

One of our finest designs and most successful products, the Modified D is a great handling carabiner for general use. Heat treated and plated to increase corrosion resistance, this carabiner is a must for every rescue kit. Be sure to check out our captive-eye version which is great as a component to slings, harnesses and kits when you don’t want the carabiner to become detached. Captive eye Modified D’s are great for OEM projects and industrial uses (each captive-eye comes with the pin un-installed, ready for your use).

Specifications:

Item Number— OP76S38L
Weight oz— 7.5 oz
Weight gm— 213 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.76 in
Width mm— 70.10 mm
Locking— Screw-Lok
UPC— 821273602032
Retail— $26.85



7/16” Steel Modified D Screw-Lok Black

Price reduced for 2019

Specifications:

Item Number— OP76S35L
Weight oz— 7.50 oz
Weight gm— 213 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.76 in
Width mm— 70.10 mm
Locking— Screw-Lok
UPC— 821273602001
Retail— $27.90



7/16” Steel Modified D Screw-Lok Bright

Price reduced for 2019

This item is listed as National Stock Number (NSN) 8465-01-322-7432

Specifications:

Item Number— OP76S36L
Weight oz— 7.50 oz
Weight gm— 213 gm
Gate Opening in— .94 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.76 in
Width mm— 70.10 mm
Locking— Screw-Lok
UPC— 821273602025
Retail— $26.85



7/16” Steel Modified D Screw-Lok w/ Captive Eye Gold

Price reduced for 2019

Modified D Steel with a Captive Eye.

Specifications:

Item Number— OP76S38LCE
Weight oz— 7.50 oz
Weight gm— 213 gm
Gate Opening in— .91 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.77 in
Width mm— 70.36 mm
Locking— Screw-Lok
UPC— 821273602056
Retail— $27.85

Omega Pacific

Steel Modified D Carabiners- 7/16”



7/16” Steel Modified D Quik-Lok Gold

Price reduced for 2019

One of our finest designs and most successful products, the Modified D is a great handling carabiner for general use. Heat treated and plated to increase corrosion resistance, this carabiner is a must for every rescue kit. Be sure to check out our captive-eye version which is great as a component to slings, harnesses and kits when you don’t want the carabiner to become detached. Captive eye Modified D’s are great for OEM projects and industrial uses (each captive-eye comes with the pin un-installed, ready for your use).

Specifications:

Item Number— OP76S38Q
Weight oz— 8.64 oz
Weight gm— 245 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.37 in
Length mm— 111.00 mm
Width in— 2.67 in
Width mm— 68 mm
Locking— 2-stage Quik-Lok
UPC— 821273602049
Retail— $29.15



7/16” Steel Modified D Quik-Lok Black

Price reduced for 2019

Specifications:

Item Number— OP76S35Q
Weight oz— 7.77 oz
Weight gm— 221 gm
Gate Opening in— .91 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.77 in
Width mm— 70.36 mm
Locking— 2-stage Quik-Lok
UPC— 821273602018
Retail— $30.45



7/16” Steel Modified D Quik-Lok w/ Captive Eye Gold

Price reduced for 2019

Modified D Steel with a Captive Eye.
NSN: 8465-01-596-9631

Specifications:

Item Number— OP76S38QLCE
Weight oz— 7.50 oz
Weight gm— 213.00 gm
Gate Opening in— .91 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.77 in
Width mm— 70.36 mm
Locking— 2-stage Quik-Lok
UPC— 821273602063
Retail— $30.15



7/16” Steel Modified D Quik-Lok w/ Captive Eye Black


Price reduced for 2019

Modified D Steel with a Captive Eye.

Specifications:

Item Number— OP76S35QLCE
Weight oz— 7.50 oz
Weight gm— 213.00 gm
Gate Opening in— .91 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.77 in
Width mm— 70.36 mm
Locking— 2-stage Quik-Lok
UPC— 821273602193
Retail— $31.45

Steel Modified D Carabiners- 7/16”



7/16” Steel Modified D Keylock Screw-Lok Gold

Price reduced for 2019

Borrowing from its successful cousin, the shape remains familiar and comfortable in the hand with a large gate opening and several locking options. A Keylock nose & gate to keep the cara biner from snagging on slings and gear
Several models are now available with ANSI & CSA Certification for industrial safety use!
Each carabiner is built from heat-treated steel, plated with zinc-chromate for maximum corrosion resistance and subjected to dozens of internal safety checks (including being individually proof-loaded to 25.5kN) before it ever leaves our plant.

Specifications:

Item Number— OP76S38LKL
Weight oz— 7.69 oz
Weight gm— 218 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.37 in
Length mm— 111 mm
Width in— 2.67 in
Width mm— 68 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273602100
Retail— $33.85



7/16” Steel Modified D Keylock Screw-Lok Black

Price reduced for 2019

This item is listed as National Stock Number (NSN) 8465-01-415-5134

Specifications:
Item Number— OP76S35LKL
Weight oz— 7.69 oz
Weight gm— 218 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.37 in
Length mm— 111 mm
Width in— 2.67 in
Width mm— 68 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273602124
Retail— $35.50



7/16” Steel Modified D Keylock Quik-Lok Gold

New for 2019!

Our popular Modified D Steel shape with a keylock nose & gate to keep the carabiner from snagging on slings and gear. Our ergonomic shape is comfortable to the hand with a large gate opening and two stage Quik-Lok security.
Each carabiner is built from heat-treated steel, plated with zinc-chromate for maximum corrosion resistance and subjected to dozens of internal safety checks (including
being individually proof-loaded to 25.5kN) before it ever leaves our plant.
Rated to 51kN, the Modified D Steel Keylock in 7/16” is available in Black and Gold.

Specifications:
Item Number— OP76S38QKL
Weight oz— 8.20 oz
Weight gm— 232 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.36 in
Length mm— 110.74 mm
Width in— 2.83 in
Width mm— 71.88 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273602209
Retail— $34.95



7/16” Steel Modified D Keylock Quik-Lok Black

New for 2019!

Specifications:
Item Number— OP76S35QKL
Weight oz— 8.20 oz
Weight gm— 232 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.36 in
Length mm— 110.74 mm
Width in— 2.83 in
Width mm— 71.88 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273602216
Retail— $35.95

Steel Modified D Carabiners- 7/16”



7/16” Steel Modified D Keylock 3-Stage Quik-Lok Gold

Price reduced for 2019

Our venerable Modified D Steel receives several upgrades borrowing from its successful cousin, the shape remains familiar and comfortable in the hand with a large gate opening and several locking options. A Keylock nose & gate to keep the carabiner from snagging on slings and gear, Several models are now available with ANSI & CSA Certification for industrial safety use! Each carabiner is built from heat-treated steel, plated with zinc-chromate for maximum corrosion resistance and subjected to dozens of internal safety checks (including being individually proof-loaded to 25.5kN) before it ever leaves our plant.

Specifications:
Item Number— OP76S38Q3KL
Weight oz— 8.01 oz
Weight gm— 227 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.37 in
Length mm— 111 mm
Width in— 2.80 in
Width mm— 71.00 mm
Certified to— NFPA
Locking— 3-stage Quik-Lok
UPC— 821273602162
Retail— $35.50



7/16” Steel Modified D Keylock 3-Stage Quik-Lok Black

Price reduced for 2019

Specifications:
Item Number— OP76S35Q3KL
Weight oz— 8.01 oz
Weight gm— 227 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.37 in
Length mm— 111 mm
Width in— 2.80 in
Width mm— 71.00 mm
Certified to— NFPA
Locking— 3-stage Quik-Lok
UPC— 821273602179
Retail— $36.50

Steel Modified D Carabiners- 7/16”



7/16” Steel Modified D Keylock 3-Stage Quik-Lok Gold ANSI Gate

Price reduced for 2019

Our venerable Modified D Steel receives several upgrades with this brand-new model! Borrowing from its successful cousin, the shape remains familiar and comfortable in the hand with a large gate opening and several locking options.
A Keylock nose & gate to keep the carabiner from snagging on slings and gear
Several models are now available with ANSI & CSA Certification for industrial safety use!
Each carabiner is built from heat-treated steel, plated with zinc-chromate for maximum corrosion resistance and subjected to dozens of internal safety checks (including being individually proof-loaded to 25.5kN) before it ever leaves our plant.

Specifications:
Item Number— OP76S38Q3KLAN
Weight oz— 8.64 oz
Weight gm— 245 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.37 in
Length mm— 111 mm
Width in— 2.67 in
Width mm— 68 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273602186
Retail— $39.45



7/16” Steel Modified D Keylock 3-Stage Quik-Lok Black ANSI Gate

Price reduced for 2019

Specifications:
Item Number— OP76S35Q3KLAN
Weight oz— 8.64 oz
Weight gm— 245 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.37 in
Length mm— 111 mm
Width in— 2.67 in
Width mm— 68 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273602131
Retail— $40.45



7/16” Steel Modified D Keylock 3-Stage Quik-Lok Black Captive-Eye ANSI Gate

Price reduced for 2019

Modified D Steel with a Captive Eye.
Our venerable Modified D Steel receives several upgrades with this brand-new model! Borrowing from its successful cousin, the shape remains familiar and comfortable in the hand with a large gate opening and several locking options.
Each carabiner is built from heat-treated steel, plated with zinc-chromate for maximum corrosion resistance and subjected to dozens of internal safety checks (including being individually proof-loaded to 25.5kN) before it ever leaves our plant.

Specifications:
Item Number— OP76S35Q3CEKLAN
Weight oz— 7.8 oz
Weight gm— 221 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.77 in
Width mm— 70.36 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273602148
Retail— $41.45



7/16” Steel Modified D Keylock 3-Stage Quik-Lok Gold Captive-Eye ANSI Gate

Price reduced for 2019

Specifications:
Item Number— OP76S38Q3CEKLAN
Weight oz— 7.80 oz
Weight gm— 221 gm
Gate Opening in— .87 in
Gate Opening mm— 22 mm
Major Axis Strength kN— 51 kN (11,465 lbf)
Gate Open Strength kN— 14 kN (3,147 lbf)
Minor Axis Strength kN— 16 kN (3,597 lbf)
Length in— 4.38 in
Length mm— 111.25 mm
Width in— 2.77 in
Width mm— 70.36 mm
Certified to— NFPA, ANSI, CSA
Locking— 3-stage Quik-Lok
UPC— 821273602155
Retail— $40.45

Omega Pacific

Steel Ladderhook NFPA Carabiners & Captive Eye Pins



9/16" Ladderhook Screw-Lok Gold

Price reduced for 2019

Extra large and designed to fit over ladder rungs, pipes, safety rails, building apparatuses or anywhere you may need the huge gate clearance of these exceptional and strong carabiners. The gate clearance of our Ladder Hook is enhanced by our unique side-swing gate mechanism, which enables the gate to open beyond the carabiner spine, providing a massive gate opening, even for a carabiner of this size! Available in Screw-Lok or Quick-Lok gold includes Captive Eye bar.
UL Certified to the NFPA 1983 17 ed.

Specifications:
Item Number— OPLH8L
Weight oz— 22.2 oz
Weight gm— 629 gm
Gate Opening in— 2.28 in
Gate Opening mm— 58 mm
Major Axis Strength kN— 41 kN (9,217 lbf)
Length in— 8.79 in
Length mm— 223.27 mm
Width in— 4.40 in
Width mm— 111.76 mm
Certified to— NFPA
Locking— Screw-Lok
UPC— 821273603008
Retail— $57.65



9/16" Ladderhook Quik-Lok Gold

Price reduced for 2019

Specifications:
Item Number— OPLH8Q
Weight oz— 23.80 oz
Weight gm— 675 gm
Gate Opening in— 2.24 in
Gate Opening mm— 57 mm
Major Axis Strength kN— 41 kN (9,217 lbf)
Length in— 8.79 in
Length mm— 223.27 mm
Width in— 4.4 in
Width mm— 111.76 mm
Certified to— NFPA
Locking— 2-stage Quik-Lok
UPC— 821273603015
Retail— $58.75



Replacement pins for Captive Eye

Our Omega Pacific Captive Eye Pins can be ordered as a replacement part. Please specify your Carabiner model number when ordering.

Specifications:
Item Number— CESPIN
Retail— $2.50

Tactical Carabiners & Figure 8



Dash Infinity Wiregate Black

A lightweight, full strength wiregate that's burly enough to withstand years of serious use, yet light enough to never hold you back. With nearly a full inch of gate clearance, clipping is a snap and, at 37gm, the Dash is lean. We build it from full-sized, high-strength 3/8" aircraft-grade aluminum, so it's built to take the punishment that might cripple other anorexic 'biners. Whether it's the unpredictable alpine routes in the world's remotest places or a roadside crag close to home, the Dash is the right carabiner for the job!

Specifications:
Item Number— OPMD5W
Weight oz— 1.3 oz
Weight gm— 37 gm
Gate Opening in— .93 in
Gate Opening mm— 24 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 7 kN (1,574 lbf)
Length in— 3.67 in
Length mm— 93.2 mm
Width in— 2.04 in
Width mm— 51.7 mm
Certified to— CE
UPC— 821273404360
Retail— $8.25



Tactical D Straightgate Black

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.
Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.
This item is listed as National Stock Number (NSN) 5340-01-583-2787.

Specifications:
Item Number— OPTD5
Weight oz— 2.30 oz
Weight gm— 65 gm
Gate Opening in— .79 in
Gate Opening mm— 20 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.71 mm
Certified to— CE
UPC— 821273701001
Retail— $11.50



Tactical Figure 8 Rappel Device Black

Price reduced for 2019

Figure 8 devices remain a popular device for their simplicity, durability and dependability. Forged from aircraft-quality anodized aluminum, this unit provides years of hard use. Can be used with double, half or single rope systems for rappeling or belaying.

Specifications:
Item Number— OPTFIG8-5
Weight oz— 3.82 oz
Weight gm— 108.5 gm
Strength kN— 25 kN (5620 lbf)
Length 5.17 in (131.3 mm)
Width 2.93 in (74.4 mm)
UPC— 821273703005
Retail— $18.95



Tactical Five-O Screw-Lok Black

Price reduced for 2019

Five generations of development have perfected this carabiner. Huge gate clearances with deep baskets provide effortless clipping. Built from aircraft quality aluminum and our exclusive ISO Cold Forged process, the Five-O is the premier free-climbing carabiner. Perfect for alpine, ice, and sport climbing, the Five-O boasts up to 20mm of gate clearance.
Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:
Item Number— OPTFO5L
Weight oz— 2.2 oz
Weight gm— 63 gm
Gate Opening in— .945
Gate Opening mm— 20 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.5 mm
Width in— 2.69 in
Width mm— 68.3 mm
Locking— Screw-Lok
Certified to— CE
UPC— 821273701100
Retail— $14.50

Tactical Carabiners



Tactical Five-O Wiregate Black

Price reduced for 2019

Thanks to a large basket and wiregate, this has the largest gate opening of any tactical carabiner available. Easily handled while wearing gloves and anodized matte-black for low-reflectivity, it's a favorite among soldiers and operators around the world. Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull, and not shiny in order to reduce glare.

Specifications:

Item Number— OPTFO5W
Weight oz— 1.9 oz
Weight gm— 54 gm
Gate Opening in— 1.22 in
Gate Opening mm— 31 mm
Major Axis Strength kN— 25 kN (5,620 lbf)
Gate Open Strength kN— 7 kN (1,574 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.27 in
Length mm— 108.46 mm
Width in— 2.69 in
Width mm— 68.33 mm
Certified to— CE
UPC— 821273701117
Retail— $9.95



Tactical Jake HMS Screw-Lok Black

Price reduced for 2019

The Jake has set the standard for HMS carabiners. To start with, its shape orients the load, predictably, where we want it every time. Other belay carabiners can be loaded on the nose of the carabiner - a very dangerous situation.
The Jake eliminated this problem through a superior design. It always centers your belay/rappel device so that in double-rope rappels, neither strand of rope is pinched on the spine, ensuring a smooth and predictable rap'. The Jake is also equipped with a truly unique side-swing gate which provides you with greater gate clearance and ease of use. Available with Screw gate or Quik-Lok.
This item is listed as National Stock Number (NSN) 8465-01-588-7672

Specifications:

Item Number— OPTHMS5L
Weight oz— 3.5 oz
Weight gm— 98.73 gm
Gate Opening in— .98 in
Gate Opening mm— 25 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.50 in
Length mm— 114.30 mm
Width in— 3.15 in
Width mm— 80.01 mm
Locking— Screw-Lok
Certified to— CE
UPC— 821273701360
Retail— $15.95



Tactical Jake HMS Quik-Lok Black

Price reduced for 2019

The Jake has set the standard for HMS carabiners. To start with, its shape orients the load, predictably, where we want it every time. Other belay carabiners can be loaded on the nose of the carabiner - a very dangerous situation.
The Jake eliminated this problem through a superior design. It always centers your belay/rappel device so that in double-rope rappels, neither strand of rope is pinched on the spine, ensuring a smooth and predictable rap'. The Jake is also equipped with a truly unique side-swing gate which provides you with greater gate clearance and ease of use. Available with Screw gate or Quik-Lok.

Specifications:

Item Number— OPTHMS5Q
Weight oz— 3.79 oz
Weight gm— 107.53 gm
Gate Opening in— .87 in
Gate Opening mm— 23 mm
Major Axis Strength kN— 23 kN (5,170 lbf)
Gate Open Strength kN— 8 kN (1,798 lbf)
Minor Axis Strength kN— 10 kN (2,248 lbf)
Length in— 4.50 in
Length mm— 114.30 mm
Width in— 3.15 in
Width mm— 80.01 mm
Locking— 2-stage Quik-Lok
Certified to— CE
UPC— 821273701377
Retail— $16.85



Tactical D Screw-Lok Black

Price reduced for 2019

You're looking at one of the strongest aluminum carabiners in the world. At 31kN, it's wicked-strong and represents the most durable design in basic, functional climbing carabiners. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.
Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:

Item Number— OPTL5
Weight oz— 2.60 oz
Weight gm— 74 gm
Gate Opening in— .67 in
Gate Opening mm— 17 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.79 mm
Locking— Screw-Lok
Certified to— CE
UPC— 821273701056
Retail— $14.95

Omega Pacific

Tactical Carabiners



Tactical D Screw-Lok Sand Tan

Price reduced for 2019

You're looking at one of the strongest aluminum carabiners in the world. Through ISO Cold Forging, we put material exactly where it will render the strongest design possible for a carabiner of its size and materials.
Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.
Anodized Sand Tan to match Sand Tan uniforms and systems.
This item is listed as National Stock Number (NSN) 5340-01-595-9276

Specifications:

Item Number— OPTLB
Weight oz— 2.60 oz
Weight gm— 74 gm
Gate Opening in— .67 in
Gate Opening mm— 17 mm
Major Axis Strength kN— 31 kN (6,969 lbf)
Gate Open Strength kN— 9 kN (2,023 lbf)
Minor Axis Strength kN— 9 kN (2,023 lbf)
Length in— 4.28 in
Length mm— 108.71 mm
Width in— 2.39 in
Width mm— 60.79 mm
Locking— Screw-Lok
Certified to— CE
UPC— 821273701063
Retail— $14.95



Tactical Oval Straightgate Black

Oval carabiners are a true technological breakthrough. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner. With our exclusive ISO Cold
Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market. At 22kN, it's 4kN higher than other ovals, which means that our oval is an oval you can rely on for everyday, all-around use.
Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:

Item Number— OPTO5
Weight oz— 2.50 oz
Weight gm— 70.76 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
UPC— 821273701216
Retail— $11.95



Tactical Oval Screw-Lok Black

Price reduced for 2019

Oval carabiners are a true technological breakthrough. Because of its shape, the load is shared equally between the spine and gate sides of the carabiner, which typically results in lower strength ratings. However, with our exclusive ISO Cold Forging process, we are able to compensate by shifting material and putting aluminum where it needs to be to reinforce the frame. Compare for yourself and you'll see that we have one of the strongest oval carabiners on the market.
Our TACTICAL carabiners are anodized with a flat, non-reflective finish. The anodizing is intentionally dull, and not shiny in order to reduce glare. It's a minor detail, but it definitely helps conceal your hardware compared to common, brightly polished gear.

Specifications:

Item Number— OPTO5L
Weight oz— 2.50 oz
Weight gm— 70.76 gm
Gate Opening in— .51 in
Gate Opening mm— 13 mm
Major Axis Strength kN— 22 kN (4,946 lbf)
Gate Open Strength kN— 6 kN (1,349 lbf)
Minor Axis Strength kN— 8 kN (1,798 lbf)
Length in— 4.24 in
Length mm— 107.70 mm
Width in— 2.27 in
Width mm— 57.66 mm
Locking— Screw-Lok
UPC— 821273701223
Retail— $14.95



Tactical SBGII Belay/Rappel Device Black

Price reduced for 2019

By incorporating a rigid stem on this device, climbers go from full lock-off to whipping out rope in a single, smooth action—no more binding up as the device tries to free itself. The amount of friction can be completely adjusted to suit your particular need. Does your climber outweigh you? Are you using skinny ropes? Then set up the brake line through the V-Slots! Clipping in short (into the oblong hole in the center of the stem) adds even more braking power.

Climbing with fat ropes, a skinny partner or on low-angle slabs? Then belay off the U-Grooves and clip into the bottom hole of the SBGII for less friction. If you've ever rapped on a single 8mm or 9mm rope with other belay devices, you know what a fast and loose ride that can be! With the SBGII, wrap that skinny cord around the rigid stem and rappel, figure-8 style, for the ultimate in control and safety.

Specifications:

Item Number— OPTSBGII5
Weight oz— 2.70 oz
Weight gm— 77 gm
Length in— 3.25 in
Length mm— 83 mm
Width in— 2 in
Width mm— 51 mm
UPC— 821273703265
Retail— $24.95

Omega Pacific

Quad Release System



Quad-Release Female Component Only

Price reduced for 2019

Built from aircraft-quality aluminum and stainless steel, the Quad-Release features a unique, independent, four-point locking mechanism that latches securely and releases quickly with a simple, deliberate, one-handed, two-finger operation. Boasting a Minimum Breaking Strength (MBS) of 9000lbs (40kN) and a Working Load Limit (WLL) of 900lbs (4kN), the Quad-Release remains locked under load and can be incorporated into a number of lifting or safety systems within Stage, Theater Rigging, Rescue, Worker Safety and Industrial applications.

Specifications:

Item Number— OPQRF5
Weight oz— 6.5 oz
Weight gm— 185 gm
Length in— 3.6 in
Width in— 1.98 in
UPC— 821273603046
Retail— $84.38



Quad-Release Male Component Only

Price reduced for 2019

Specifications:

Item Number— OPQRM5
Weight oz— 6.5 oz
Weight gm— 185 gm
Length in— 3.6 in
Width in— 1.98 in
UPC— 821273603053
Retail— $33.79



Quad-Release Complete System

Price reduced for 2019

Specifications:

Item Number— OPQRS5
Weight oz— 6.5 oz
Weight gm— 185.00 gm
Strength kN— 40 kN (8,992 lbf)
Length in— 3.6 in
Length mm— 91.44 mm
Width in— 1.98 in
Width mm— 50.29 mm
UPC— 821273603060
Retail— $118.17

Omega Pacific

Accessory Carabiners



Blank Accessory Blue Frame/Bright Gate- *add your Logo!*

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:
Item Number— BLAC1
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205196
Retail— $4.85



Blank Accessory Green Frame/ Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLAC2
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205202
Retail— $4.85



Blank Accessory Red Frame/Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLAC3
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205219
Retail— $4.85



Blank Accessory Purple Frame/ Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLAC4
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205226
Retail— $4.85

Omega Pacific Custom Laser Engraving

- Add your company or event logo to our US made high quality carabiners
- The Omega Team will handle everything from set-up to proofing & production. We'll work with you to provide professional results with a quick turnaround.
- We will accurately reproduce your artwork with a sharp, well defined etching that pops with high contrast visibility.
- Don't have a logo? No problem. Share your message with that exact font to design a personal one-of-a-kind Omega carabiner made just for you.
- Let us quote you, we have no artwork set-up fees! Omega's in-house Laser Team will ensure your image is engraved to the highest standards.

*Sorry Sample Designs pictured are not for sale.

Accessory Carabiners



Blank Accessory Black Frame/ Bright Gate- *add your Logo!*

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:
Item Number— BLAC5
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205233
Retail— $4.85



Blank Accessory Coyote Tan- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLAC00
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205295
Retail— $4.95



Blank Accessory Black- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLAC55
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205301
Retail— $4.95



Blank Accessory Sand- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLACBB
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273305186
Retail— $4.95

Accessory Carabiners



Blank Accessory Field Green- *add your Logo!*

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:
Item Number— BLACFF
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.2 mm
Width in— 1.75 in
Width mm— 44.5 mm
UPC— 821273205318
Retail— $4.95



Blank Mini-Pear Blue Frame/Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLMP1
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205240
Retail— $4.45



Blank Mini-Pear Green Frame/ Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLMP2
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205257
Retail— $4.45



Blank Mini-Pear Red Frame/Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:
Item Number— BLMP3
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205264
Retail— $4.45

Omega Pacific

Accessory Carabiners



Blank Mini-Pear Purple Frame/ Bright Gate- *add your Logo!*

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:

Item Number— BLMP4
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205271
Retail— $4.45



Blank Mini-Pear Black Frame/ Bright Gate- *add your Logo!*

Price reduced for 2019

Specifications:

Item Number— BLMP5
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205288
Retail— $4.45



Blank Mini-Pear Coyote Frame/ Coyote Gate- *add your Logo!*

Price reduced for 2019

Specifications:

Item Number— BLMP00
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205165
Retail— $4.65



Blank Mini-Pear Black Frame/Black Gate- *add your Logo!*

Price reduced for 2019

Specifications:

Item Number— BLMP55
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205172
Retail— $4.65

Omega Pacific

Accessory Carabiners



Blank Mini-Pear Field Green- *add your Logo!*

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs

Specifications:
Item Number— BLMPFG
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.4 in
Length mm— 60.3 mm
Width in— 1.3 in
Width mm— 31.80 mm
UPC— 821273205189
Retail— $4.65



Omega Accessory Blue Frame/ Bright Gate

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:
Item Number— OPAC1
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.20 mm
Width in— 1.75 in
Width mm— 44.50 mm
UPC— 821273200511
Retail— $4.85



Omega Accessory Green Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPAC2
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.20 mm
Width in— 1.75 in
Width mm— 44.50 mm
UPC— 821273200528
Retail— $4.85



Omega Accessory Red Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPAC3
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.20 mm
Width in— 1.75 in
Width mm— 44.50 mm
UPC— 821273200535
Retail— $4.85

Omega Pacific

Accessory Carabiners



Omega Accessory Purple Frame/ Bright Gate

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:
Item Number— OPAC4
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.20 mm
Width in— 1.75 in
Width mm— 44.50 mm
UPC— 821273200542
Retail— $4.85



Omega Accessory Black Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPAC5
Weight oz— .83 oz
Weight gm— 22.68 gm
Length in— 3 in
Length mm— 76.20 mm
Width in— 1.75 in
Width mm— 44.50 mm
UPC— 821273200559
Retail— $4.85



Omega Mini-Pear Blue Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPMP1
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.40 in
Length mm— 60.30 mm
Width in— 1.30 in
Width mm— 31.80 mm
UPC— 821273203017
Retail— $4.45



Omega Mini-Pear Green Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPMP2
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.40 in
Length mm— 60.30 mm
Width in— 1.30 in
Width mm— 31.80 mm
UPC— 821273203024
Retail— $4.45

Omega Pacific

Accessory Carabiners



Omega Mini-Pear Red Frame/ Bright Gate

Price reduced for 2019

This isn't an ordinary mini-carabiner. We build our Accessory Carabiners right beside our full-strength line of recreational and professional carabiners, here in the United States. We use aircraft aluminum barstock and stainless steel rivets, pins, springs and pushers.
Although these aren't intended for personal protection or other vital functions, they're pretty versatile and fully capable around the house: hanging keys, birdhouses & feeders, bikes, surfboards, camping gear, beach stuff, etc. And if you're like us, you'll sleep better knowing an Omega Pacific Accessory or Minipear Carabiner is on the task. Choose either, depending on your sizing needs.

Specifications:
Item Number— OPMP3
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.40 in
Length mm— 60.30 mm
Width in— 1.30 in
Width mm— 31.80 mm
UPC— 821273203031
Retail— $4.45



Omega Mini-Pear Purple Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPMP4
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.40 in
Length mm— 60.30 mm
Width in— 1.30 in
Width mm— 31.80 mm
UPC— 821273203048
Retail— $4.45



Omega Mini-Pear Black Frame/ Bright Gate

Price reduced for 2019

Specifications:
Item Number— OPMP5
Weight oz— .41 oz
Weight gm— 11.34 gm
Length in— 2.40 in
Length mm— 60.30 mm
Width in— 1.30 in
Width mm— 31.80 mm
UPC— 821273203055
Retail— $4.45



OMEGA PACIFIC
workbook 2019

Omega Pacific, Inc.
11427 W 21st Ave
Airway Heights WA 99001-9702
1-800-360-3990
(509)456-0170 international

please email orders to-
orders@OmegaPac.com

visit our website at OmegaPac.com